

Pioneer

seeing and hearing like never before

Pioneer

Go beyond. Immerse yourself in total experience. In a dimension of sight and sound you've never before imagined. Enter a world where your eyes bite into a red so juicy you can taste it. Where green is so lush you can smell its freshness. Where blue is so deep you can feel its chill. Where your heart opens wide to take in images too big and too intense to be seen any other way. Where you look with your ears and hear with your entire body. A world where colours can be felt, sounds can be tasted and it all comes together to create something unlike anything that has ever existed. And nothing will be the same again.

seeing and hearing like never before



KURO flat screen TVs – Page 8



Blu-ray Disc/DVD Players – Page 26



HDD/DVD Recorders – Page 34



AV Receivers – Page 42



Audio Components – Page 52



Home Cinema Systems – Page 62



Speakers – Page 72

Technical Data – Page 84

Product Overview – Page 98

THE FINEST PICTURE. BLACKER THAN EVER.

It all begins with black. Only black at its deepest can serve as a backdrop for the purest, most vibrant colours. And for detail with the most striking sharpness. That's why we have dedicated our energy and innovative drive to achieving blacks of unprecedented intensity. The deepest shade of black, the best picture has a name: KURO.

Nothing is more powerful and emotionally charged than film. It's our inspiration. Our reason to create solutions that realise the highest expression of sight and sound. An expression that lets you see and hear exactly as the filmmakers intended. Sound and emotion so strong, so immersive, so engaging that it stays with you forever. KURO has grown out of our passion for the art form of the moving picture. We have created a range of systems for presenting moving pictures that go beyond exhilarating colour, sharpness and brightness. KURO brings film to life and lets you enjoy its every nuance.

KURO

Whether you're a cinephile looking for complete immersion with a front projector or a discerning viewer seeking a choice of sizes for your main and secondary television sets, you will find just the right KURO to meet your needs. KURO stands for sight and sound in its highest, purest form. Brought to you by the global specialist in the audio and visual world. Get in touch with your sense of KURO.



THE EMBODIMENT
OF UNIQUE HARMONY.

LX



The most ambitious concepts, the most sophisticated technologies, the finest design. The LX Series incorporates the best qualities of Pioneer. And every function, every component operates in precise alignment with its counterparts to achieve a single objective: flawless interaction with KURO, a device unmatched in the world of flat screen TVs.

Blu-ray disc players, a DVD player, HDD/DVD recorders, multi-channel AV receivers, speakers, home cinema systems – each LX product is a born companion to the KURO. Both technologically and aesthetically. The result is a perfectly synchronised solution that takes home entertainment to a higher level. To a place where you truly see and hear like never before.





SUDDENLY,
IMPRESSIONS TAKE OVER
THE SENSES.

KURO FLAT SCREEN TVS

KURO. PICTURE THIS.

The white flash of a lightning bolt against a pitch-black sky. Spectacular fireworks exploding in all colours of the rainbow on a cloudless night. The golden glow of a black panther's eye as it stalks prey in the dense undergrowth of a rainforest. The deeper the black, the stronger the brightness and depth of the colours. KURO means black in Japanese, and black is at the very heart of the KURO concept. Blacker than ever, KURO flat screen TVs create black tones of such depth and purity that every detail, every colour, every shade comes brilliantly alive. And revolutionises home viewing.





KURO. FASCINATION HAS NEVER BEEN SO DEEP.

Surrender to your senses.

Profound, thrilling, compelling. When you cross the line and step into the world of KURO, you enter a new sensory space. The highly sophisticated viewing solutions create a total experience that will change your perception of home entertainment. Forever.



Precision and sensitivity.

KURO flat screen TVs include sizes for all environments, from a 32-inch screen to a stunning 60-inch model. Every KURO always delivers flicker-free images in razor-sharp 1080p resolution. For the ultimate cinema experience, you can view films coming from Blu-ray in the original 24 frames per second – precisely the cadence at which they were originally filmed and mastered. Nowadays, the ability to receive digital-quality TV broadcasts is becoming an ever more widespread standard. And with a KURO flat screen TV, you're perfectly equipped. Every unit features not only an integrated analogue tuner, but also a DVB-T tuner for digital terrestrial TV reception. What's more, our top-of-the-range models are equipped with a DVB-S tuner, capable of receiving satellite signals. They are compliant with the EICTA "HD TV 1080p" Minimum Requirements and support MPEG-4 high definition decoding*.



One remote, total control.

With KURO LINK easy operation is guaranteed. It lets you access the main functions of all your other compatible Pioneer equipment with the remote control unit of your KURO flat screen TV.

INTENSE. PERSONAL. PLASMA.

In tune with your senses.

Maximise your experience. At 50 and 60 inches our thin KURO plasma flat screen TVs go beyond bringing images of overwhelming dimensions and presence into your home. They transform your viewing environment into a perfectly tuned space, where impressions are intense and in total harmony with your wishes.

KURO plasma TVs are equipped for easy home network integration, give you a wide selection of customisation options and even adjust many of their functions automatically to the surroundings. They are clean and contemporary in design and have their own unique characteristics that contribute to their excellence. Sit back and be transported to places you've never been before.

KURO: your sixth sense.

Wherever you install your KURO plasma TV, whatever you plan to watch, you can be sure of unforgettable images and sounds. With its enhanced **Optimum Mode**, the KURO actively senses the light conditions and analyses the viewing content, then fine-tunes itself accordingly. Its content analysis function has been perfected for even more subtle adjustment and better-than-ever harmonisation of sounds and pictures. Additionally, Auto Volume Control eliminates annoying spikes in sound volume – for example, during commercial breaks.

With a mere thickness of 64 mm, the KRP-500A and KRP-600A plasma TVs with separate Media Receiver look more sleek and elegant than ever. They come with a colour sensor that measures the colour characteristics of ambient light to provide the picture optimum to your eyes' sensation. Vouching for picture purity, the PURE AV selection mode brings the input signal to the screen as direct as possible, bypassing all typical picture enhancement processing.

Using special ISF (Imaging Science Foundation) calibration software, your ISF-certified dealer can preset the separate Media Receiver models for custom-perfect day (ISF Day) or evening (ISF Night) viewing in your home. The new ISF Auto mode adapts the image according to information from the room light sensor. With these fine adjustments, viewing becomes so deep, so rich, so moving that you don't just watch television and films. You feel with every sense.

A sense of connectivity.

Your configuration options go beyond picture and sound qualities. Both the 93 mm PDP-LX5090H and PDP-LX6090H



KURO plasma TVs, as well as the KRP-500A and KRP-600A 64 mm models with separate Media Receiver, offer you far-reaching connectivity options. These KURO plasma TVs are equipped with a DLNA (Digital Living Network Alliance) certified Home Media Gallery. This networking function allows you to enjoy compressed audio files, photos and even HD video content from one or more connected media servers. Multiple HDMI inputs enable a quick and convenient connection to a broad range of source devices. Welcome to a new dimension in easy connectivity.





Take control.

Contemporary and elegant. Sophisticated and user-friendly. The new KURO remote in high-quality aluminium puts you in command. With the feature KURO LINK, you can also access key functions of other compatible Pioneer devices.



Pioneer

60 inch KURO Plasma TV – separate Media Receiver KRP-600A

HD ready 1080p flat screen TV.

Slim profile 64 mm. Ultra Black Panel technology.

SD/HD* digital (DVB-T) / SD analogue terrestrial tuner.

SD/HD* digital (DVB-S/DVB-S2) satellite tuner.


HDMI interface (x4). KURO LINK.

Home Media Gallery by DLNA/USB 2.0.

Enhanced Optimum Mode. Colour sensor. Direct Colour Filter 3+.

Optional speakers and stand.





Big power, small format.

Behind the exceptionally slim KURO plasma flat screen TVs is a compact and elegant power hub: the Media Receiver. It is equipped with mighty SD/HD digital tuners for terrestrial and satellite reception as well as a module for analogue terrestrial signals.* And to keep your KURO viewing environment clean and uncluttered, the Media Receiver has been designed to connect with just one cable.



**50 inch KURO Plasma TV – separate Media Receiver
KRP-500A**

HD ready 1080p flat screen TV.

Slim profile 64 mm. Ultra Black Panel technology.

SD/HD* digital (DVB-T) / SD analogue terrestrial tuner.

SD/HD* digital (DVB-S/DVB-S2) satellite tuner.

HDMI interface (x4). KURO LINK.

Home Media Gallery by DLNA/USB 2.0.

Enhanced Optimum Mode. Colour sensor. Direct Colour Filter 3+.

Optional speakers and stand.





60 inch KURO Plasma TV

PDP-LX6090

HD ready 1080p flat screen TV.

Slim profile 93 mm. Ultra Black Panel technology.

SD* digital (DVB-T) / SD analogue terrestrial tuner.

HDMI Interface (x3). KURO LINK.

Home Media Gallery by USB 2.0.

Enhanced Optimum Mode. Direct Colour Filter 3+.

Optional speakers and stand.





A clean solution.

The intelligently designed High Definition AV Converter PDA-V100HD is the easy way to link all your home entertainment equipment. It features four HDMI inputs and one HDMI output as well as Component, Scart and AV-in connections. And it connects to your KURO TV with just one cable.



50 inch KURO Plasma TV

PDP-LX5090

HD ready 1080p flat screen TV.

Slim profile 93 mm. Ultra Black Panel technology.

SD* digital (DVB-T) / SD analogue terrestrial tuner.

HDMI Interface (x3). KURO LINK.

Home Media Gallery by USB 2.0.

Enhanced Optimum Mode. Direct Colour Filter 3+.

Optional speakers and stand.



* see backcover

YOU'LL SEE LCD WITH ENTIRELY NEW EYES.

Enter a new dimension.

With intriguing contrast and colours that go straight to the heart, KURO has elevated LCD technology to an entirely new level. The LCD range will carry on the legacy of our award-winning KURO plasma TVs that have been described as the best in the world. By taking full advantage of our extensive plasma know-how, these three LCD models deliver industry-leading black levels and 1080p performance.

The minimalist KURO LCD flat screen TVs run at 100 Hz for smooth flowing motion. Equipped with a special high-contrast filter, they provide captivating entertainment under virtually all light conditions and from almost any angle – the exceptionally wide viewing scope spans 176 degrees. With 5-step colour adjustment selection, you can adapt your unit to your personal taste. All KURO LCD TVs are labelled “HD ready 1080p” and are equipped with three HDMI ports for optimum data transfer. And with Auto Brightness Control, the intensity of the image is always optimal – even during particularly bright film scenes or in changing ambient light.





46 inch KURO LCD TV

KRL-46V

HD ready 1080p flat screen TV.

100 Hz driving.

Digital terrestrial (DVB-T) and analogue tuner.

HDMI interface (x3). KURO LINK.

PC input. High-contrast filter.

Integrated speakers. Detachable stand included.





37 inch KURO LCD TV

KRL-37V

HD ready 1080p flat screen TV.

100 Hz driving.

Digital terrestrial (DVB-T) and analogue tuner.

HDMI interface (x3). KURO LINK.

PC input. High-contrast filter.

Integrated speakers.

Detachable swivel stand included.



32 inch KURO LCD TV

KRL-32V

HD ready 1080p flat screen TV.

100 Hz driving.

Digital terrestrial (DVB-T) and analogue tuner.

HDMI interface (x3). KURO LINK.

PC input. High-contrast filter.

Integrated speakers.

Detachable swivel stand included.



Sound to see and touch.

Experience pure emotion. Experience sound so alive, so close that you can almost grasp it. Speakers designed to reflect the aesthetics of KURO plasma TVs – and engineered to match their intensity – let you hear in ways you've never heard before.

**S-LX70-LR**

KURO High Fidelity speakers.

Woofer: 2 x 13 cm EX concept slim cone woofers.

Tweeter: 2.5 cm Titanium wide-range tweeter.

Impedance: 6 Ω .

Frequency Range: 40 – 50,000 Hz.

Power handling: 130 W.

**S-LX70W**

KURO High Fidelity subwoofer: 30 cm bass driver.

Frequency Range: 25 – 4,000 Hz.

300 W RMS.

**S-LX70C**

KURO High Fidelity centre speaker.

Woofer: 2 x 13 cm EX concept slim cone woofers.

Tweeter: 2.5 cm Titanium wide-range tweeter.

Impedance: 6 Ω .

Frequency Range: 40 – 50,000 Hz.

Power handling: 130 W.



KURO Plasma TVs	HD ready	DVB-T	DVB-S/DVB-S2	HDMI Inputs	DLNA/USB 2.0	Optimum Mode
KRP-600A*	1080p	SD & HD	SD & HD	4	• / •	• (enhanced)
KRP-500A*	1080p	SD & HD	SD & HD	4	• / •	• (enhanced)
PDP-LX6090H**	1080p	SD & HD	SD & HD	3	• / •	• (enhanced)
PDP-LX6090***	1080p	SD	—	3	— / •	•
PDP-LX5090H**	1080p	SD & HD	SD & HD	3	• / •	• (enhanced)
PDP-LX5090	1080p	SD	—	3	— / •	•

* separate Media Receiver

** This product is not available in the UK.



KURO LCD TVs	HD ready	100 Hz driving	DVB-T tuner	HDMI Inputs	KURO LINK	High-contrast filter
KRL-46V	1080p	•	•	3	•	•
KRL-37V	1080p	•	•	3	•	•
KRL-32V	1080p	•	•	3	•	•

GET ALL THE FACTS:

WWW.PIONEER.CO.UK/KURO



SUDDENLY,
EACH SECOND BECOMES
UNFORGETTABLE.

BLU-RAY DISC AND DVD PLAYERS



THE REALITY OF FILMS, CLOSER THAN EVER.

Open yourself to greatness. Become a witness. To visions never seen before. To gripping action, great beauty and intense emotions. To colours so rich, details so fine, that all your senses come alive. You are witness to the dawn of a new age of images that lift you out of your reality, and sounds that plunge you into worlds you have never imagined. Because Pioneer Blu-ray disc players have been designed with just one objective: to give you pure moving pictures and living sound precisely as the director intended. Immerse yourself, and nothing will ever be the same.



TO STAY TRUE TO THE ORIGINAL.



The art of film in its purest form.

Adventure, action, comedy, romance. There is one thing all genres have in common: the films are filmed and mastered to play at a speed of 24 frames per second. Bring original cinema-quality pictures to your home. Blu-ray technology lets you view your favourite film exactly as the filmmakers envisioned their work: in breathtaking 1080p resolution, at 24 frames per second.



Flawless fidelity.

Our new Blu-ray disc players have been further enhanced, with a redesigned chipset. They support HDMI Deep Colour for an unprecedented range of tones and exceptionally smooth transitions. With a compatible Pioneer receiver, the new models also deliver truly outstanding music CD playback via HDMI, using the specially developed Precision Quartz Lock System (PQLS).

Let the sound transport you.

Sound that's true to the original. From the audio sensations of gripping action scenes to the subtlety of intense dialogue. With cutting-edge technologies, films take on a depth that will transport you. Professional-grade Wolfson Digital Audio Converters (DACs) guarantee excellent audio performance. Dolby Digital Plus, Dolby TrueHD, DTS-HD High Resolution and DTS-HD Master Audio ensure that you enjoy studio-class sound as scintillating, rich and genuine as moving pictures in Blu-ray quality.



Pristine quality at your fingertips.

Multimedia excellence has never been so easy. Our Blu-ray disc players feature an optimised graphical user interface for exceptionally straightforward operation and are equipped with HDMI, the gold standard for multimedia data transfer in flawless quality. In addition, they support the connectivity feature KURO LINK, so the remote control of your KURO flat screen TV is all you need to access the main functions of your Blu-ray disc player.



BDP-LX91

Reference BD-LIVE ready Blu-ray Disc Player.
 1080p/24. HDMI with 1080p upscaling.
 48-bit Deep Colour. AVCHD with xvYCC / x.v.Colour.
 297 MHz/12-bit (HD) / 216 MHz/12-bit (SD) Video D/A Converter.
 Dual HDMI out with PURE Audio Mode. PQLS with HDMI.
 HD Audio output. RS-232C terminal. KURO LINK.
 Full Aluminium construction.



BDP-LX71

Premium BONUSVIEW Blu-ray Disc Player.
 1080p/24. HDMI with 1080p upscaling. 36-bit Deep Colour.
 297 MHz/12-bit (HD) / 216 MHz/12-bit (SD) Video D/A Converter.
 PQLS with HDMI. HD Audio output. KURO LINK.
 Touch sensor buttons.



BDP-LX08

Design oriented BONUSVIEW Blu-ray Disc Player.
 1080p/24. HDMI with 1080p upscaling. 36-bit Deep Colour.
 297 MHz/12-bit (HD) / 216 MHz/12-bit (SD) Video D/A Converter.
 PQLS with HDMI. HD Audio output. KURO LINK.



DV-LX50

Premium DVD-Audio/Video/SACD Player with HDMI.

HDMI with 1080p upscaling.

216 MHz/12-bit Video D/A Converter.

WMV/DivX Ultra/JPEG/MP3/WMA/MPEG-4 AAC playback.

DSD output through HDMI.

Advanced double-layered chassis with seamless construction.

Pure Audio mode.

BD-LIVE.

BD-LIVE – also called BD Profile 2.0 - brings picture-in-picture and online functionality to Blu-ray discs via your internet-connected Blu-ray player. It allows you to download up-to-date content to add to the movie, from refreshed trailers to exclusive special features and opens up an exciting range of next-generation possibilities such as chat and instant-messaging functions, wallpaper downloads, live events and gaming activities.

DVD Player	SACD/DVD-Audio	HDMI	High Resolution JPEG output	DivX Ultra
DV-LX50	• / •	1080p upscaling	•	•

Blu-ray Disc Players	Profile	Deep Colour	1080p/24	HD Audio	RS-232C
BDP-LX91	BD-LIVE ready	48-bit	•	•	•
BDP-LX71	BONUSVIEW	36-bit	•	•	—
BDP-LX08	BONUSVIEW	36-bit	•	•	—

GET ALL THE FACTS:

WWW.PIONEER.CO.UK/BLURAY

WWW.PIONEER.CO.UK/DVDPLAYER



SUDDENLY,
AN UNIMAGINED WORLD
OPENS UP.
HDD/DVD RECORDERS



FREEDOM OF MOVEMENT IN MULTIMEDIA.

Feel the magic. Be part of every precious moment. Your most cherished memories, your favourite films and music – the whole spectrum is yours at the touch of a button. Pioneer HDD/DVD recorders make it all possible. Because these highly advanced multimedia systems have been conceived and built to enhance the richness and depth of your experience.



FILMS, PHOTOS AND MUSIC WITHOUT LIMITS.

Easy integration.

With Connect PC, copying DivX films, JPEG photos or music files from the PC to the recorder is child's play. All recorders come equipped with a USB connection, and the DVR-LX61D and DVR-LX61 also feature an Ethernet socket – which means you can simply click and drag the required files to the hard disk. It's that easy to bring everything you want to enjoy on your KURO together in one spot. And thanks to KURO LINK you can use the remote of your KURO plasma TV to control the key functions of your HDD/DVD recorder.

Just 3 keys do it all.

The Home Media Gallery 3keys function (except for DVR-LX70D) makes operation a snap: at a single touch, you can view or listen to content recorded on the device.

A graceful solution.

Our HDD/DVD recorders not only record music CDs at the push of a button and at up to 16 times playing speed, they also automatically add relevant information on each music track. The secret: the Gracenote® database of titles and artists is preinstalled in the system. When connected to the Internet, the devices can even retrieve information from the online Gracenote® database.

Bridge the gap.

Turn your images into instant, photo-quality prints. With a PictBridge-compatible printer, you can conveniently print JPEGs stored on the hard disk or photos directly from a compatible digital camera. For easy editing of titles or navigation through menus, you can connect a USB keyboard.

Your TV guide.



The GuidePlus+ Electronic Programme Guide makes it easy to select content to record from TV programme schedules well in advance. Browse through the TV schedule, sort by programmes, time or category – at your leisure. It also lets you store personal favourites and decide what you want to watch or record next.

Pay TV prepared.

Selected Pioneer HDD/DVD recorders also feature a CI Slot for a Conditional Access Module/TV SmartCard.



Life's too exciting to miss a thing.

Who says you can't have it all? And in truly outstanding quality? With a Pioneer HDD/DVD recorder, you can manage multimedia content as well as CDs. Equipped with vast storage capacity and an HDMI output port, it guarantees that not a single detail is lost while transferring the signal to your TV screen. It even has the capacity to upscale videos to 1080p resolution.





DVR-LX70D

Premium HDD/DVD Recorder with HDMI.

500 GB hard disk. KURO LINK. Built-in digital (DVB-T) tuner

(with CI Slot) and analogue TV tuner. Deep Colour.

HDMI with 1080p upscaling. Multi-format recording and playback.

DivX playback. Gracenote® database. Electronic Programme Guide.

Connect PC. DV in.



DVR-LX61D

Premium HDD/DVD Recorder with HDMI.

250 GB hard disk. KURO LINK. Built-in digital (DVB-T) tuner

(with CI Slot) and analogue TV tuner.

HDMI with 1080p upscaling. Multi-format recording and playback.

DivX storage and playback. Gracenote® database.

Electronic Programme Guide. Connect PC. DV in.

Home Media Gallery (3keys). MPEG-4 AAC support.



DVR-LX61*

Premium HDD/DVD Recorder with HDMI.

250 GB hard disk. KURO LINK. Built-in analogue TV tuner.

HDMI with 1080p upscaling. Multi-format recording and playback.

DivX storage and playback. Gracenote® database.

Electronic Programme Guide. Connect PC. DV in.

Home Media Gallery (3keys). MPEG-4 AAC support.

* This product is not available in the UK.

Life goes on.

You don't want to miss a moment of your favourite TV programmes.

But sometimes, daily life interferes – a phone call, a visit from a friend.

Simply activate Pause Live TV and the broadcast will be recorded from the moment you left off.




HDD/DVD Recorders	DVB-T tuner	HDMI	HDD cap.	Connect PC	Deep Colour	Gracenote®
DVR-LX70D	•	•	500 GB	USB	•	local
DVR-LX61D	•	•	250 GB	Ethernet/USB	—	Ethernet/local
DVR-LX61*	—	•	250 GB	Ethernet/USB	—	Ethernet/local

* This product is not available in the UK.

GET ALL THE FACTS:

WWW.PIONEER.CO.UK/DVR



SUDDENLY,
UNKNOWN POWERS ARE
RELEASED.
AV RECEIVERS



THE EXHILARATION OF SOUND.

You are there. Front row centre. The conductor taps his baton and there is complete silence. Total concentration. Suddenly, the power of the orchestra swells up. The song of the violins, the cry of the woodwinds, the pounding of the tympani. You are there, as the jetfighter screams toward the dazzling blue sky. You feel the spine-shaking rumble as the aircraft approaches the sound barrier. And you are there on deck to taste the salt air as the whistling wind fills the flapping sails and carries your vessel off to distant shores. Pioneer receivers are designed and built to take you beyond the limits. They don't just process sounds and images. They transport you.





THERE'S NO SUBSTITUTE FOR INDIVIDUALITY.

Newest-generation audio formats.

The audio section of the receivers is equipped to handle the new uncompressed, high resolution sound formats Dolby TrueHD and DTS-HD Master Audio as well as the multi-channel format Dolby Digital Plus. Our AV receivers not only process signals with the greatest accuracy for the purest, richest sounds and images imaginable, they can also actively refine your audiovisual experience. Front Stage Surround Advance, for example, creates a stunningly real sound sphere using just two speakers. With the Advanced Sound Retriever function, even compressed data formats like MP3 come alive in vibrant quality. The special Pioneer technology Full Band Phase Control, which aligns sound phases, provides even greater sonic purity – especially in the low ranges. And Auto Level Control eliminates volume differences, for example, when playing content from an MP3 device.

Get personal.

Transform your listening and viewing environment into an entirely new and fascinating place. Our AV receivers feature



Advanced MCACC (Multi-Channel Acoustic Calibration System), a technology that actively “listens” and creates a soundscape automatically adjusted to the acoustics of your home entertainment space.



The exceptionally powerful new AV receivers SC-LX81 and SC-LX71 are equipped with Direct Energy HD amplifiers that use ICEpower technology to produce a level of multi-channel power output, fidelity, and efficiency never before seen or heard in a home AV device. Like the VSX-LX70, they are tested in London's prestigious AIR Studios, and bear THX certification – a guarantee of audio performance at the highest level.

More than authentic.

Designed to function seamlessly with KURO flat screen TVs and Blu-ray players, the new-generation AV receivers use



HDMI technology for lossless data transfer. They support HDMI Deep Colour which makes transitions smoother and colours more intense than ever. The ability to handle 24p signals guarantees that every Blu-ray film is played back at the original speed of 24 frames per second with which the films were shot, mastered and stored on disc. For perfect, cinema-quality picture characteristics, the receivers offer upscaling to brilliant 1080p resolution. And with KURO LINK, you can easily operate the main functions of your receiver via the remote control of your KURO flat screen TV.

Increase your options.

To give you maximum convenience and flexibility in watching and listening, our top-of-the-range AV receivers are equipped



with a LAN interface for integration into your home network. The SC-LX81 and SC-LX71 are DLNA certified and let you listen to Internet radio as well as enjoy JPEG images and music stored on one or more network servers.

Most of our multi-channel receivers are iPod digital compatible, letting you connect your iPod directly to the receiver and control it using the receiver's remote. Needless to say, your music is transferred without loss of detail in brilliant digital quality.



SC-LX81

Premium 1080p ready multi-channel AV Receiver with AM/FM tuner.
 Direct Energy HD amplifier. 7-ch 190 W.
 HDMI (4 in – 2 out). Deep Colour. KURO LINK. HDMI jitter reduction.
 PQLS with HDMI. SRC (Sampling Rate Converter). DLNA. iPod Digital.
 USB terminal. Advanced MCACC with 9-band EQ. Standing Wave Control.
 Full Band Phase Control. Front Stage Surround Advance.
 Advanced Sound Retriever. Auto Level Control. THX Ultra2 Plus.
 AIR Studios certified. Dolby TrueHD. DTS-HD Master Audio.



SC-LX71

Premium 1080p ready multi-channel AV Receiver with AM/FM tuner.
 Direct Energy HD amplifier. 7-ch 180 W.
 HDMI (4 in – 1 out). Deep Colour. KURO LINK. HDMI jitter reduction.
 PQLS with HDMI. DLNA. iPod Digital. USB terminal.
 Advanced MCACC with 9-band EQ. Standing Wave Control.
 Full Band Phase Control. Front Stage Surround Advance.
 Advanced Sound Retriever. Auto Level Control. THX Select2 Plus.
 AIR Studios certified. Dolby TrueHD. DTS-HD Master Audio.



Audiovisual excellence has a name: Susano.

At Pioneer, we are unrelenting in our pursuit of immaculate sounds and images. Our cutting-edge research and continuous developments have produced a piece of audiovisual equipment that is setting standards in the industry: the Susano SC-LX90. A true masterpiece, the Susano brings together the technologies and refinements that go into other Pioneer devices, like the SC-LX81 and SC-LX71. At the same time, it serves as a benchmark and inspiration for our engineers.



VSX-LX70*

1080p ready multi-channel AV Receiver with AM/FM tuner.
 7-ch 180 W. HDMI (4 in – 1 out). Deep Colour. KURO LINK. DLNA. iPod ready.
 USB terminal. Advanced MCACC with 9-band EQ. Standing Wave Control.
 Full Band Phase Control. Front Stage Surround Advance. Sound Retriever.
 THX Select2. AIR Studios certified. Dolby TrueHD. DTS-HD Master Audio.

* This product is not available in the UK.



VSX-LX51


1080p ready multi-channel AV Receiver with AM/FM tuner.
 7-ch 150 W. HDMI (3 in – 1 out). Deep Colour. KURO LINK.
 iPod Digital. USB terminal. Advanced MCACC with 9-band EQ.
 Standing Wave Control. Phase Control. Front Stage Surround Advance.
 Advanced Sound Retriever. Auto Level Control.
 THX Select2 Plus. Dolby TrueHD. DTS-HD Master Audio.

AV Receivers	Power	HDMI In/Out	KURO LINK	MCACC	iPod	DLNA
SC-LX81	7-ch 190 W	4/2	•	Advanced 9 EQ	digital	•
SC-LX71	7-ch 180 W	4/1	•	Advanced 9 EQ	digital	•
VSX-LX70*	7-ch 180 W	4/1	•	Advanced 9 EQ	ready	•
VSX-LX51	7-ch 150 W	3/1	•	Advanced 9 EQ	digital	–

* This product is not available in the UK.

GET ALL THE FACTS:

WWW.PIONEER.CO.UK/RECEIVER



SUDDENLY,
EVERY DETAIL COMES ALIVE.
AUDIO COMPONENTS



FEEL THE PURITY. FEEL THE POWER.

The rhythm of a beating heart. The beauty of the human voice – nothing touches the soul like clear and genuine sound. From simple songs that evoke our memories to the complexity of the great works, music is an inseparable part of our lives. And our response to it is immediate and elemental. For Pioneer, purity of sound has always been an objective and a vision. In design, execution and materials, these audio components are the highest articulation of that goal.





THE CLEAREST EXPRESSION
OF STEREO.



True audio excellence.

Music genres and interpretations are as complex and varied as humanity itself. But all music has one thing in common: it deserves the best and most faithful reproduction technology has to offer.

That's why we are committed to developing, designing and crafting the finest audio equipment possible. With extremely short signal paths and hand-selected, highly accurate components. The


quality seal of London's globally respected AIR Studios, which checks the devices according to the most exacting professional standards, attests to the superlative performance of Pioneer audio equipment.


PDX-Z9 – all paths lead to great sound.

All-in-one. Unadulterated stereo music enjoyment, audio quality and technical flexibility. With a digital parallel amplifier, outstanding Super Audio CD playback, terrestrial FM/AM reception and Internet radio capability, the PDX-Z9 Super Audio CD receiver gives you the full array of options for accessing content – in superior sound quality. It is DLNA certified for integration into a home network and even allows you to connect a USB device or your iPod to the dedicated terminal. And to ensure that you get the most out of music in compressed formats, such as MP3, WMA and AAC, the PDX-Z9 features an Advanced Sound Retriever function to restore them to their original clarity. Additionally, it supports playback of WAV and lossless compressed FLAC files as well.

Beauty that's more than skin deep: G-Clef.

The distinctive design of G-Clef Series components clearly reflects their sole purpose in life: to deliver immersive listening pleasure in flawless stereo. They are characterised by ultra-short signal paths and a dual mono symmetrical construction that produce music of extraordinary quality. The amplifier, Super Audio CD Player and tuner form a perfectly coordinated system – for stereo brilliance in full living colour.





PDX-Z9

Super Audio CD Receiver.

50 W + 50 W (4 Ω). Aluminium top panel.

Full dot white OEL display. Touch sensor buttons.

FM/AM Tuner. Internet radio. DLNA certified.

USB terminal. iPod terminal. Advanced Sound Retriever.

Plays:

- from disc: CD/SACD/CD-R/CD-RW/MP3/WMA
- from USB/via Network: MP3/MPEG-4 AAC/WMA/FLAC/WAV(PCM)

G-CLEF SERIES: THE KEY OF ELEGANCE.



PD-D9-J

Super Audio CD Player. Sampling Rate Converter.

Aluminium front, top and side panels. Quick Response Power Supply Circuit.

Wolfson Twin D/A Converters (192 kHz/24-bit).

Legato Link Conversion Pro & Hi-bit.

Rigid Underbase Construction & Stainless steel CD mechanism.

TACC feet. Pure Audio Mode. Media: CD/SACD/CD-R/CD-RW/MP3/WMA.




F-F6-J

DAB/FM/AM Tuner. Aluminium front panel.

High-Performance D/A Converters (192 kHz/24-bit).

200 Stations (100 DAB, 100 FM/AM),

Group presets. RDS with radio text. MPX-mode.



A-A9-J

Integrated Amplifier. 70 W + 70 W (20 – 20,000 Hz, 4 Ω).

Aluminium front and side panels. Quick Response Power Supply Circuit.

Dual Mono Symmetrical Construction. Rigid Underbase Construction.

Twin Toroidal Transformer. Phono EQ MM/MC.

Audio Input: CD/Phono/Tape/AUX/Tuner/USB (for PC).



PD-D6-J

Super Audio CD Player.

Aluminium front panel. Quick Response Power Supply Circuit.

Burr-Brown Twin D/A Converters (192 kHz/24-bit).

Legato Link Conversion Pro & Hi-bit. Pure Audio Mode.

Media: CD/SACD/CD-R/CD-RW/MP3/WMA.



F-F3-J*

FM/AM Tuner. Aluminium front panel.

100 Stations, Group presets.

RDS with radio text. MPX-mode.

* This product is not available in the UK.



A-A6-J

Integrated Amplifier. 60 W + 60 W (20 – 20,000 Hz, 4 Ω).

Aluminium front panel. Quick Response Power Supply Circuit.

Dual Mono Symmetrical Construction.

Phono EQ MM. Audio Input: CD/Phono/Tape/AUX/Tuner.



It's in your hands.

With a single remote control, all G-Clef amplifiers, Super Audio CD players and tuners can be operated. The optionally available remote CU-R9 even has an integrated learning function that lets you use it to control other devices.

SACD Receiver	AIR Studios Sound Tuning	Power	Display	Internet Radio Favourites	DLNA certified
PDX-Z9	•	50 + 50 W	Full dot white OEL	30	•

CD Players	AIR Studios Sound Tuning	Twin D/A Converters	Hi-bit Conversion	Legato Link PRO	Pure Audio mode
PD-D9-J	•	Wolfson	•	•	•
PD-D6-J	•	Burr-Brown	•	•	•

Tuners	DAB Tuner	D/A Converter	RDS	Presets	MPX-mode
F-F6-J	•	•	•	200 (DAB/FM/AM)	•
F-F3-J*	—	—	•	100 (FM/AM)	•

* This product is not available in the UK.

Amplifiers	AIR Studios Sound Tuning	Power	Transformer	USB	Source direct mode
A-A9-J	•	70 + 70 W	Toroidal	•	•
A-A6-J	•	60 + 60 W	Standard	—	•

GET ALL THE FACTS:

WWW.PIONEER.CO.UK/AUDIO-COMPONENTS



SUDDENLY,
ALL ELEMENTS BLEND INTO
A SINGLE FORCE.
HOME CINEMA SYSTEMS



JOURNEY TO THE CENTRE OF EXPERIENCE.

Imagine a magical place. A place that can be whatever you want it to be. Where you can travel in time and space. To the pungent aromas of a spice market in 14th century Constantinople, the searing heat of a Saharan expedition, the endless ice and snow of Arctic exploration. There are no boundaries, only possibilities. With a Pioneer Home Cinema System, that place is your home.



BREATHTAKINGLY ALIVE.
THRILLINGLY CLOSE.



Be there.

At the heart of the action, seeing and hearing every detail live. Our Home Cinema Systems bring the total sensation of cinema closer than ever. With matching KURO-style devices – responsive speakers, powerful amplifiers and state-of-the-art playback units. With precision, dynamics and great attention to detail.

Sound visions.

The systems LX01BD and LX03BD both feature Blu-ray disc players that generate striking pictures in native 1080p resolution. They play your films at exactly the speed at which they were filmed and mastered: 24 frames per second. In absolutely original, professional audiovisual quality. In addition, both systems are equipped with MCACC (Multi-Channel Acoustic Calibration System), a highly sophisticated technology that actively analyses the acoustics in your viewing environment, then precisely adjusts the sound for optimum results.





LX01BD

Premium 1080p Blu-ray disc player Home Cinema System.
 Deep Colour. 1080p/24. HDMI (2 in – 1 out). KURO LINK.
 400 W RMS Digital Power Amplifier. Front Stage Surround Advance.
 Advanced MCACC with 7-band EQ.
 Standing Wave Control. Sound Retriever.
 Dolby TrueHD, Dolby Digital Plus, DTS-HD Master Audio.
 Touch screen remote. Separate display. iPod ready.




Dodecahedron speakers, 3D sound.

With its unique dodecahedron – a geometric shape with 12 sides – speaker concept, the LX01BD Home Cinema System generates multiple sound fields oriented in all directions. The result is a three-dimensional soundscape that can fill every space and any living room. Its compact combined front/centre speakers are engineered to be positioned at the sides of the TV for a minimalist look. You can look forward to thrillingly alive sound, produced by highly advanced components in a sleek, contemporary design – the perfect match for your KURO flat screen TV.

At centre stage.

Enter a new dimension of total sound with the Front Stage Surround Advance feature. It creates the striking immediacy and realism of a 360° audio environment without the need to position the speakers at different points in the room. Just place your speakers directly beside your TV set – and let the sound envelop you.



LX03BD

Blu-ray Disc Player Home Cinema System.
HDMI (1 in – 1 out). KURO LINK. 500 W RMS Digital Power Amplifier.
Front Stage Surround Advance. Advanced MCACC with 3-band EQ.
Advanced Sound Retriever. iPod Digital.
Intelligent touch sensor buttons.

Systematic elegance.


The LX03BD Home Cinema System combines top performances with a sleek and contemporary design that will lift your viewing environment. It features an exclusive matte/polished two-tone finish. And the main unit is controlled via touch sensor buttons integrated into the top surface that illuminate whenever a hand approaches. This adds up to a clean and sophisticated look – with nothing to distract from your home entertainment.



Blu-ray Home Cinema Systems	Power	HDMI	iPod	MCACC
LX01BD	400 W	2 in / 1 out	ready	Advanced
LX03BD	500 W	1 in / 1 out	digital	Advanced

GET ALL THE FACTS:

WWW.PIONEER.CO.UK/HOMECINEMA



SUDDENLY,
DYNAMIC IMPULSES TAKE
FLIGHT.
SPEAKERS



DELVE INTO THE VERY ESSENCE.

Sound. It's at the centre of our emotions. Even when it is not consciously perceptible, sound moves us. An urgent knock on the door. A furtive whisper. The roar of a crowd or the cry of a baby – we feel it before we can think, analyse or judge. Pioneer EX speakers have been conceived and engineered to live up to the depth and complexity of human sensitivity. The result is a level of purity, coherency and realism that lets you hear in ways you have never heard before.



DEEPLY COMMITTED TO EVERY NOTE, SOUND AND NUANCE.

The sound of professional standards.

Our speakers are the final link in the complex process of creating immaculate audio quality. EX Series speakers draw on the unparalleled design and construction expertise of the Pioneer brand TAD. Set up in 1975 as a separate branch specialising in speaker technology for professional applications, TAD produces monitor speakers that are found in many of the world's most famous recording studios and concert halls. The EX Series brings the exclusive professional technology of TAD speakers right into your home.



Built to push the limits.

The elegantly styled speaker cabinets are available in a choice of two rich finishes: real beech (high-gloss) or dark teak veneer (satin). Beneath their sleek surface, the housings are designed and crafted for absolute stability: multi-layered, laminated MDF at a thickness of up to 100 mm gives EX Series speakers the weight and inertia to resist vibration and distortion even at the utmost limits.

Power and focus.

The midrange and tweeter drivers use the exclusive CST (Coherent Source Transducer) technology – developed by TAD to achieve superior directivity control at all frequencies. The tweeters, featuring Beryllium or Ceramic Graphite diaphragms, are mounted in the centre of the magnesium midrange drivers. The result is a phenomenally smooth and coherent sonic experience.





S-1EX

Reference high-end floor-standing speaker.

3-way. 200 W.

Concentric arrangement of tweeter and midrange speaker units.

Beryllium tweeter for ultra-high frequencies (100 kHz). Magnesium midrange cone.

"Air flow" designed woofers.

Magnetically shielded.

AIR Studios sound tuning.



Tuned to the highest standards.

To ensure that the EX Series meets the definitive international standards for professional audio equipment, the speakers have been fine-tuned at the legendary AIR Studios. The quality seal of the temple of immaculate sound, located in London, is proof of the extraordinary fidelity, precision and capacity of our EX Series speakers.



S-3EX

Reference high-end floor-standing speaker.

3-way. 160 W.

Concentric arrangement of tweeter and midrange speaker units.


Ceramic Graphite tweeter for ultra-high frequencies (100 kHz).

Magnesium midrange cone.

Woofers with Linear Drive Magnetic Circuits.

Magnetically shielded.

AIR Studios sound tuning.



A curve in time.

An outstanding characteristic of the unique EX Series architecture is the Precision Curve: the drivers are mounted in a specially formed baffle curved along a three-metre radius. Time delay distortion is eliminated so all sound reaches your ears with its original timbre.



S-2EX

Reference high-end speaker.

3-way. 200 W. Concentric arrangement of tweeter and midrange speaker units. Beryllium tweeter for ultra-high frequencies (100 kHz). Magnesium midrange cone.

"Air flow" designed woofers. Magnetically shielded.

AIR Studios sound tuning.



S-4EX

Reference high-end speaker.

3-way. 160 W. Concentric arrangement of tweeter and midrange speaker units.

Ceramic Graphite tweeter for ultra-high frequencies (100 kHz).

Magnesium midrange cone.

Woofers with Linear Drive Magnetic Circuits.

Magnetically shielded.

AIR Studios sound tuning.



S-W250S(-W)

Active subwoofer. 250 W RMS.

Built-in D-class amplifier.

30 cm woofer and passive radiator.



S-7EX

Reference high-end centre speaker.

3-way. 200 W. Concentric arrangement of tweeter and midrange speaker units.

Beryllium tweeter for ultra-high frequencies (100 kHz). Magnesium midrange cone.

Neodymium magnet. "Air flow" designed woofers.

Magnetically shielded.

AIR Studios sound tuning.



S-8EX

Reference high-end centre speaker.

3-way. 160 W. Concentric arrangement of tweeter and midrange speaker units.

Ceramic Graphite tweeter for ultra-high frequencies (100 kHz).

Magnesium midrange cone.

Woofers with Linear Drive Magnetic Circuits.

Magnetically shielded.

AIR Studios sound tuning.

EX-Series	Impedance	Frequency Range	Max. Power	Dimensions (W x H x D)
S-1EX-QL/W	6 Ω	28 – 100,000 Hz	200 W	422 x 1,283 x 609 mm
S-2EX-QL/W	6 Ω	34 – 100,000 Hz	200 W	291 x 565 x 413 mm
S-3EX-QL/W	6 Ω	30 – 100,000 Hz	160 W	350 x 1,224 x 541 mm
S-4EX-QL/W	6 Ω	34 – 100,000 Hz	160 W	263 x 490 x 375 mm
S-7EX-QL/W	6 Ω	34 – 100,000 Hz	200 W	820 x 341 x 425 mm
S-8EX-QL/W	6 Ω	34 – 100,000 Hz	160 W	723 x 263 x 375 mm

Subwoofer	Module	Frequency Range	Max. Power	Dimensions (W x H x D)
S-W250S(-W)	30 cm cone woofer	23 – 1,000 Hz	250 W	430 x 480 x 430 mm

All models above are available in real beech (high-gloss) or dark teak veneer (satin).



S-LX70-LR

KURO High Fidelity speakers.

Woofers: 2 x 13 cm EX concept slim cone woofers.

Tweeter: 2.5 cm Titanium wide-range tweeter.

Impedance: 6 Ω .

Frequency Range: 40 – 50,000 Hz.

Power handling: 130 W.

KURO speakers: you'll believe your ears.

Feel soundscapes that live and breathe as one with your viewing experience. It begins with the best internal components technology has to offer. Choose from minimalist solutions with two stereo speakers plus subwoofer, 3.1 systems that include an additional centre driver or the total immersion of surround sound with four satellite speakers, centre unit and subwoofer. KURO speaker sets match your KURO flat screen TV in design as well as in performance. Prepare for acoustic impressions more real and intense than you can imagine.



S-LX70W

KURO High Fidelity subwoofer.

Driver: 30 cm bass driver.

Frequency Range: 25 – 4,000 Hz.

300 W RMS.



S-LX70C

KURO High Fidelity centre speaker.

Woofer: 2 x 13 cm EX concept slim cone woofers.

Tweeter: 2.5 cm Titanium wide-range tweeter.

Impedance: 6 Ω.

Frequency Range: 40 – 50,000 Hz.

Power handling: 130 W.

KURO High Fidelity Speakers	Impedance	Frequency Range	Max. Power	Dimensions (W x H x D)
S-LX70-LR	6 Ω	40 – 50,000 Hz	130 W	175 x 722 x 70 mm
S-LX70C	6 Ω	40 – 50,000 Hz	130 W	722 x 175 x 70 mm

Subwoofer	Module	Frequency Range	Max. Power	Dimensions (W x H x D)
S-LX70W	30 cm bass driver	25 – 4,000 Hz	300 W	362 x 365 x 362 mm

GET ALL THE FACTS:

WWW.PIONEER.CO.UK/SPEAKERS

KURO Plasma TVs – separate Media Receiver

	KRP-600A	KRP-500A
PICTURE		
Screen Size	60-inch	50-inch
Aspect Ratio	16:9	16:9
Number of Pixels	1,920 (Hor) x 1,080 (Ver)	1,920 (Hor) x 1,080 (Ver)
Contrast Ratio	extreme	extreme
HD ready 1080p	•	•
HD Digital Film Direct	•	•
Optimum Mode	• (enhanced)	• (enhanced)
Home Media Gallery	• (Media)	• (Media)
New Concept GUI	•	•
Video Signals PAL/SECAM/NTSC3.58/NTSC4.43/PAL60/HD	•	•
PC Signals	•	•
Dual Screen Mode (PaP) • Picture-in-Picture Mode (PiP)	•	•
Still Picture Mode	•	•
AV Selection	•	•
ISF C ³ Ready	•	•
Ultra Black Panel	•	•
Crystal Emissive Layer / Direct Colour Filter 3+	• / •	• / •
Deep Waffle Rib Structure	•	•
Plasma Drive 2 ^{HD}	•	•
Colour Temperature Adjustment	•	•
Colour Management	•	•
Digital CTI (Colour Transient Improvement)	•	•
Intelligent Mode	• (New)	• (New)
Digital Noise Reduction (3D NR) / Field Noise Reduction	• / •	• / •
Block Noise Reduction / Mosquite Noise Reduction	• / •	• / •
Analogue Tuner Noise Reduction	•	•
PAL 3D Y/C Separation	•	•
Active Dynamic Range Expander	•	•
Enhancer Mode	•	•
i-CLEAR Drive	•	•
Dynamic HD Converter	•	•
Digital Flicker Free	•	•
PureCinema	•	•
SOUND		
Audio Output Power 18 W • 18 W (6 Ω)	•	•
Tone Control (Bass, Treble, Balance)	•	•
SRS WOW HD ¹	•	•
SRS (Surround)	•	•
SRS FOCUS (Audio Orientation)	•	•
SRS TruBass (Bass Boost)	•	•
SRS Definition	•	•
Auto Volume Control	•	•
DIGITAL TUNER		
DVB-T compliant	•	•
Modulation COFDM (2k/8k)	•	•
Preset Channels	999	999
Digital Teletext (MHEG5)	•	•
DVB-S/S2 compliant	•	•
Modulation QPSK/8PSK	QPSK/8PSK	QPSK/8PSK
Preset Channels	5000	5000
LNB Control	DiSEqC1.0	DiSEqC1.0
Video Decoding	MPEG2 MP@ML, MPEG2 MP@HL, MPEG4 AVC	MPEG2 MP@ML, MPEG2 MP@HL, MPEG4 AVC
Audio Decoding	MPEG1 Layer 1&2, Dolby Digital, Dolby Digital Plus, HE-AAC v1	MPEG1 Layer 1&2, Dolby Digital, Dolby Digital Plus, HE-AAC v1
Electronic Programme Guide (EPG)	•	•
ANALOGUE TUNER		
Auto Channel Preset	•	•
Reception System (PAL B/G, I, D/K - SECAM B/G, D/K, L, L')	•	•
Number of Preset Programmes	99	99
Teletext (CEEFAX/FLDF/TOP)	•	•
Picture and Text (Dual Screen)	•	•
CONTROL		
Languages:	•	•
(GB/F/D/I/NL/E/P/S/FIN/N/DK/RUS/GR/TR/CZ/UKR/HU/CRO)	•	•
Remote Controller Preset (TV/VCR/STB/DVD/DVR/BD)	•	•
i/o Link.A	•	•
KURO LINK ²	•	•
SR+	•	•
Colour Sensor	•	•
Energy Save Mode (for AV and PC)	•	•
Power Management (for PC)	•	•
CONNECTION TERMINALS		
HDMI	4 (Rear: 3, Front: 1)	4 (Rear: 3, Front: 1)
Component Video Input	1	1
RCA AV Input (Side AV)	1	1
Euro SCART	3	3
Digital Optical Audio Output	1	1
RCA Audio Output	1	1
PC Input	1	1
USB 2.0	1	1
Ethernet	1	1
Headphone Output	1	1
Subwoofer Output (variable)	1	1
Common Interface Slot (CA Card)	2 (1 for Terrestrial, 1 for Satellite)	2 (1 for Terrestrial, 1 for Satellite)
SR Control Output	1	1
Antenna Terminal Terrestrial Tuner / Satellite Tuner	1 / 1	1 / 1
Colour Sensor Terminal	1	1
GENERAL		
Dimensions Panel (W x H x D)	1,465 x 876 x 64 mm	1,233 x 723 x 64 mm
Weight Panel	49.9 kg	31.4 kg
Power Consumption Panel (in use/standby)	478 W / 0.4 W	388 W / 0.3 W
Dimensions Media Receiver (W x H x D)	420 x 80 x 278 mm	420 x 80 x 278 mm
Weight Media Receiver	4.5 kg	4.5 kg
Power Consumption Media Receiver (in use/standby)	52 W / 0.4 W	52 W / 0.4 W
Power Requirements	AC 220 – 240 V, 50/60 Hz	AC 220 – 240 V, 50/60 Hz
Optional Speaker	Side	Side

KURO Plasma TVs

[illegible]

* This product is not available in the UK.




KURO LCD TVs

	KRL-46V	KRL-37V	KRL-32V
PICTURE			
Screen Size	46-inch	37-inch	32-inch
Aspect Ratio	16:9	16:9	16:9
Resolution	1,920 (Hor) x 1,080 (Ver)	1,920 (Hor) x 1,080 (Ver)	1,920 (Hor) x 1,080 (Ver)
Advanced Super View	•	•	•
100 Hz Drive	•	•	•
PAL 3D Y/C Separation	•	•	•
Pro. Adjust			
Colour Adjustment (5 steps)	•	•	•
PureCinema (Advanced/Standard/Off)	•	•	•
Active Contrast (On/Off)	•	•	•
Monochrome (On/Off)	•	•	•
Noise Reduction (Off/High/Low)	•	•	•
Dynamic Contrast Enhancement	•	•	•
Video Signals PAL/SECAM/NTSC3.58/NTSC4.43/PAL60	•	•	•
PC Signals	•	•	•
AUDIO			
Speaker	Bottom Speaker (fixed)	Bottom Speaker (fixed)	Bottom Speaker (fixed)
Digital Amplifier	•	•	•
Audio Output	15 W + 15 W	10 W + 10 W	10 W + 10 W
Bass/Treble	•	•	•
SRS TruSurround XT ¹	•	•	•
Stereo System NICAM / A2	•	•	•
Auto Volume Control	•	•	•
TELETEXT			
Languages	24	24	24
Page Memory	2000	2000	2000
TUNER			
Analogue (PAL B/G, I, D/K – SECAM B/G, D/K, L, L')	•	•	•
Digital DVB-T (MPEG2)	•	•	•
For Digital Tuner			
Electronic Programme Guide (EPG)	•	•	•
CONVENIENCE			
Number of OSD Languages: 22 D/GB/F/E/NL/P/TR/GR/RUS/I/S/FIN/PO/CZ/DK/HU/Slovenski/Slovak/N/Lat/LIT/EST	•	•	•
Auto/Manual Channel Preset	•	•	•
AV Selection (Dynamic, Standard, Movie, Game, PC, User, Dynamic (fixed), xv. Colour)	•	•	•
Sleep Timer	•	•	•
Child Lock	•	•	•
Energy Save	•	•	•
KURO LINK ²	•	•	•
CONNECTION TERMINALS			
AC Input	1	1	1
SCART	2	2	2
S-Video/Composite Video/Audio Input	1 (Side)	1 (Side)	1 (Side)
Component Video Input (Y/Pb(Cb)/Pr(Cr))	1	1	1
HDMI	3 (Rear: 2, Side: 1)	3 (Rear)	3 (Rear)
Audio Input for HDMI (Stereo Mini Jack)	1	1	1
C. I. Slot (CA Card)	1	1	1
Audio Input for PC (Stereo Mini Jack)	1	1	1
Digital Audio Output	1 (Optical)	1 (Optical)	1 (Optical)
Audio Output	1	1	1
Headphone Output	1 (Side)	1 (Side)	1 (Side)
Antenna Input (Terrestrial analogue; Terrestrial digital; DIN)	1	1	1
USB	1 (for Service/Side)	1 (for Service/Side)	1 (for Service/Side)
GENERAL			
Dimensions (W x H x D, with stand)	1,101 x 761 x 325 mm	898 x 638 x 281 mm	776 x 572 x 281 mm
Weight (with stand)	30.5 kg	21 kg	18 kg
Dimensions (W x H x D, without stand)	1,101 x 698 x 96 mm	898 x 581 x 96.6 mm	776 x 517 x 96.1 mm
Weight (without stand)	25.5 kg	18 kg	15 kg
Power Consumption (in use/standby)	253 W / 0.5 W	171 W / 0.4 W	140 W / 0.4 W
Power Requirements	AC 220–240 V, 50/60 Hz	AC 220–240 V, 50/60 Hz	AC 220–240 V, 50/60 Hz



¹ TruSurround XT, SRS and (●) symbol are trademarks of SRS Labs, Inc.


² The term „KURO LINK“ is expressed as „HDMI Control“ on products and operating instructions.



46" KURO LCD TV



37" KURO LCD TV



32" KURO LCD TV

HD AV Converter

	PDA-V100HD
PICTURE	
Colour System	PAL/SECAM/NTSC3.58/NTSC4.43/PAL60
CONTROL	
Remote Controller	•
KURO LINK ¹	•
CONNECTION TERMINALS	
HDMI Input	4 ²
HDMI Output	1
Component Video Input (RCA)	1
Component Video Input	1
S-Video Input	1
Euro SCART	1
Audio LR Input (RCA)	4
SR Control In	1
SR Control Out	1
GENERAL	
Dimensions (W x H x D)	420 x 90 x 299 mm
Weight	3.3 kg
Power Consumption (in use/standby)	12 W / 0.4 W
Power Requirements	AC 220–240 V, 50/60 Hz

¹ The term „KURO LINK“ is expressed as „HDMI Control“ on products and operating instructions.

² One HDMI Input (INPUT6) can't be used when PDP combination mode is selected.



Back panel PDA-V100HD

Blu-ray Disc Players

	BDP-LX91	BDP-LX71	BDP-LX08 (SBDP-LX08)
PLAYBACK DISCS			
BD-ROM (BDMV)	•	•	•
BD-R/RE (BDMV/BD-RE)	•	•	•
DVD-Video	•	•	•
DVD-R (Video Mode, VR Mode, BDMV, PC-Files ¹)	•	•	•
DVD-R DL (Video Mode, VR Mode, BDMV, PC-Files ¹)	•	•	•
DVD-RW (Video Mode, VR Mode, BDMV, PC-Files ¹)	•	•	•
AVCHD (DVD-R, DVD-R DL, DVD-RW)	•	•	•
CD (CD-DA, DTS-CD, PC-Files ¹)	•	•	•
PC-FILES			
DivX	•	•	•
JPEG	•	—	—
MP3	•	•	•
WMA (Windows Media Audio)	•	•	•
VIDEO			
Video D/A Converter	297 MHz/12-bit (HD) 216 MHz/12-bit (SD)	297 MHz/12-bit (HD) 216 MHz/12-bit (SD)	297 MHz/12-bit (HD) 216 MHz/12-bit (SD)
Super Fine Focus Digital Filter	•	•	•
Pixel Scaler	•	•	•
Dual System (PAL/NTSC)	•	•	•
PureCinema Progressive Scan	•	•	•
DVD Up-conversion to 1080p	•	•	•
1080/24p Output	•	•	•
Deep Colour	• (48-bit) ²	• (36-bit)	• (36-bit)
x.v.Colour	•	—	—
Component Frame DNR	•	•	•
Mosquito & Block NR	•	•	•
Video Adjust	•	•	•
Anamorphic Zoom	•	—	—
AUDIO			
192 KHz/24-bit D/A Converter	•	•	•
Part No. for D/A Converter (7.1ch)	Wolfson WM8740 x 8	Wolfson WM8740 x 4	Wolfson WM8740 x 4
Power Transformer for Audio	Toroidal	—	—
DTS-HD	•	• ³	• ³
DTS Digital Surround	•	•	•
Dolby TrueHD	•	•	•
Dolby Digital Plus	•	•	•
Dolby Digital	•	•	•
MPEG-2 AAC	•	•	•
Digital Audio Output (Dolby Digital, DTS, Linear PCM, MPEG-2 AAC)	•	•	•
PQLS with HDMI	•	•	•
Pure Audio	•	—	—
Dynamic Range Control	•	•	•
OTHERS			
Profile	BD-LIVE ready ⁴	BONUSVIEW	BONUSVIEW
KURO LINK ⁵	•	•	•
Auto Lip Synchronous Function	•	—	—
Virtual CD Playback	•	—	—
10-Key Direct Search & Play (Chapter/Track)	•	•	•
Resume Function (Stop Key)	•	•	•
Repeat Mode (Disc, Title/Chapter, A-B)	•	•	•
Random Play (CD/Track, WMA & MP3 & JPEG File)	•	•	•
Title/Track/Time Search	•	•	•
Programme Play (CD/Track, WMA & MP3 File)	•	•	•
Speaker Setting	•	•	•
Advanced GUI (Graphical User Interface)	•	•	•
Set-up Navigator	•	•	•
On-Screen Information	•	•	•
On-Screen Bit Rate Meter	•	•	•
FL Dimmer	•	•	•
Screen Saver	•	•	•
Auto Power Off	•	•	•
TERMINALS			
HDMI	2 (Gold Plated)	1	1
Component Video Output (Y,PB,PR)	1 (BNC, Gold Plated)	1 (Gold Plated)	1
S-Video Output	1 (Gold Plated)	1 (Gold Plated)	1
Video Output	1 (Gold Plated)	1 (Gold Plated)	1
Coaxial Digital Audio Output	1 (Gold Plated)	1 (Gold Plated)	—
Optical Digital Audio Output	1 (Gold Plated)	1	1
7.1ch Analogue Audio Output	1 (Gold Plated)	1 (Gold Plated)	1
2ch Analogue Audio Output	—	1 (Gold Plated)	1
Ethernet	1	—	—
RS-232C	1	—	—
SR Input	1	1	1
GENERAL			
Dimensions (W x H x D)	420 x 143 x 365 mm	420 x 124 x 360 mm	420 x 80 x 356 mm
Weight	13.8 kg	5.7 kg	6.5 kg
Power Consumption (in use/standby)	59 W / 0.3 W	37 W / 0.5 W	36 W / 0.5 W
Power Requirements	AC 220–240 V, 50/60 Hz	AC 220–240 V, 50/60 Hz	AC 220–240 V, 50/60 Hz

¹ ISO 9660 file system only

² Except 1080p/50 and 1080p/60 output

³ Bitstream Output only

⁴ A firmware update will be required to enable BD-LIVE functions.

⁵ The term „KURO LINK“ is expressed as „HDMI Control“ on products and operating instructions.

DVD Players

DV-LX50	
PLAYBACK DISCS	
DVD/SVCD/VCD/CD	•
DVD-Audio/SACD	•
CD-R/RW	•
DVD-R/-R DL/-RW (Video Mode, VR Mode W/CPRM)	•
DVD+R/+R DL/+RW (Video Mode)	•
COMPRESSED VIDEO AND MUSIC PLAYBACK	
WMV (Windows Media Video)	•
WMA (Windows Media Audio)	•
DivX	• (Ultra)
JPEG PhotoViewer	•
HD JPEG	•
MPEG-4 AAC	•
MP3	•
PHOTO + MUSIC MIX (JPEG Slide show with Music)	•
VIDEO	
Analogue HD Output	•
108 MHz/12-bit D/A Converter	• (CVBS, S)
216 MHz/12-bit D/A Converter	• (Component)
Dual PureCinema Progressive Scan (PAL/NTSC)	•
I/P Simultaneous Output	•
Video Adjust	•
Zoom Function	•
AUDIO	
192 kHz/24-bit D/A Converter	•
96 kHz/24-bit D/A Converter	—
SACD Multi Compatibility	•
DVD-Audio Compatibility	•
DTS 96/24 Decoder	•
DTS 5.1ch Decoder	•
DTS 2ch Downmix Output	•
Dolby Digital 5.1ch Decoder	•
Virtual Surround	•
Digital Output (Dolby Digital, DTS (DVD), MPEG Audio, Linear PCM)	•
Sound EQ	—
Dialogue	•
Dynamic Range Control (DVD)	•
Digital Out On/Off	•
Pure Audio On/Off	•
SACD Set-up Button	•
OTHERS	
Advanced GUI (Graphical User Interface)	•
Set-up Navigator	•
On-Screen Information	•
On-Screen Bit Rate Meter	•
Programme Memory (Title or Chapter)	•
Last Memory (DVD)	• (DVD:5, VCD:1)
Resume Function (Stop Key) ¹	•
Repeat Mode (Disc)	•
Repeat Mode (Title/Chapter, A-B) ²	•
Programme Play (CD/Track, Video/Chapter, Title)	•
Programme Play (DVD-A: Group/Track, SACD: Track)	•
Random Play ³	•
10-Key Direct Search & Play (Chapter/Track)	•
Title/Track/Time Search ⁴	•
Speaker Setting (Centre, Rear, Subwoofer)	•
Screen Saver	•
Auto Power Off	•
FL Dimmer	•
KURO LINK ⁵	•
Number of OSD Languages: 6 (EN/FR/GE/IT/ES/RUS)	•
CD → USB Recording	—
TERMINALS	
USB ⁶	—
SR In	1
HDMI Terminal	1 (to 1080p, DSD)
Component Video Output	1 (Au)
S-Video Output	1 (Au)
Video Output	1 (Au)
5.1ch Audio Output	1 (Au)
Audio Output	1 (Au)
Coaxial Digital Output	1 (Au)
Optical Digital Output	1
GENERAL	
Dimensions (W x H x D)	420 x 102 x 314 mm
Weight	5.3 kg
Power Consumption (in use/standby)	15 W / 0.8 W
Power Requirements	AC 220 – 240 V, 50/60 Hz



Back panel DV-LX50



Back panel BDP-LX91



Back panel BDP-LX71



Back panel BDP-LX08

¹ Not available with DVD-A/SACD/Compressed music file playback
² Repeat A-B function unavailable with DVD-A/SACD/Compressed file playback
³ Not available with Compressed file playback
⁴ Time Search function unavailable with DVD-A/SACD/Compressed music file playback
⁵ The term „KURO LINK“ is expressed as „HDMI Control“ on products and operating instructions.
⁶ Mass Storage Class Only supported

HDD/DVD Recorders

HDD RECORDING

HDD Capacity

Max. Recording Time

HDD 500 GB

HDD 250 GB

HDD 160 GB

XP: 106h

XP: 53h

XP: 34h

SP: 212h

SP: 106h

SP: 68h

LP: 425h

LP: 212h

LP: 136h

EP: 637h

EP: 319h

EP: 204h

SLP: 850h

SLP: 425h

SLP: 272h

SEP: 1026h

SEP: 532h

SEP: 340h

MN: 72-1422h

MN: 36-711h

MN: 23-455h

34steps, Auto

34steps, Auto

34steps, Auto

DVD RECORDING

Max. Recording Time

DVD-R Dual Layer

DVD-R/RW

DVD-RAM

DVD+R Double Layer

DVD+R/RW

XP: 1.8h

XP: 1h

XP: 1h

XP: 1.8h

XP: 1h

SP: 3.5h

SP: 2h

SP: 2h

SP: 3.5h

SP: 2h

LP: 7.1h

LP: 4h

LP: 4h

LP: 7.1h

LP: 4h

EP: 10.7h

EP: 6h

EP: 6h

EP: 10.7h

EP: 6h

SLP: 14.3h

SLP: 8h

SLP: 8h

SLP: 14h

SLP: 8h

SEP: 17.9h

SEP: 10h

SEP: 10h

SEP: 17.9h

SEP: 10h

MN: 1.8-24h

MN: 1-13h

MN: 1-13h

MN: 1.8-14h

MN: 1-8h

33steps, Auto

33steps, Auto

33steps, Auto

30steps, Auto

30steps, Auto

Recording Media

DVD-R Dual Layer • DVD-R • DVD-RW • DVD-RAM • DVD+R Double Layer • DVD+R • DVD+RW

Playback Media

DVD-Video • DVD-R Dual Layer • DVD-R • DVD-RW • DVD-RAM • DVD+R Double Layer • DVD+R • DVD+RW • CD-DA • CD-R/RW (CD-DA)

HDD FUNCTION

One-Touch Copy (HDD → DVD, DVD → HDD)

High-Speed Copy (HDD → DVD, DVD → HDD)

Rate Conversion Copy (HDD → DVD, DVD → HDD)

Optimized Copy (HDD → DVD)

Frame Accurate Editing (HDD → DVD)

Disc Back-up / Search in genre

Auto Replace Recording / Resume (by Title)

Recovery Recording

PLAYBACK HDD/DVD (VR MODE, VIDEO MODE)

Advanced Disc Navigator (DVD Video Mode before finalisation)

Quick Preview

Seamless Playback (HDD and DVD VR Mode only)

CM Skip/Back (Commercial Skip/Back)

Simultaneous Playback and Recording/Chase Play

1.5x Quick View (scan 1)

RECORDING

PAL / NTSC

Electronic Programme Guide / Variable Bit Rate Recording

Bilingual Recording / Pause Live TV

Easy Timer

VIDEO Plus +

One-Touch Recording

Number of Events 32/month / Linear PCM Recording (Audio)

EDITING

Input Disc Name / Title Name

Easy Title Input (Like Mobile Phone)

Title menu selection with still picture (9 samples) (DVD Video Mode only)

Auto Chapter / Erase Title

Chapter Edit (HDD and DVD VR Mode only) / Play List (DVD VR Mode only)

Accuracy (HDD: Frame/Video Mode; DVD VR Mode: Frame; DVD Video Mode: Title)

Undo

Copy List

PICTURE QUALITY

Progressive Scan (PAL/NTSC)

3-D Noise Reduction

Video DAC 108 MHz /14-bit

Video DAC 108 MHz /12-bit (Progressive Mode only)

3D Y/C Separation Circuit (PAL/NTSC)

Digital TBC

Picture Creation

AUDIO QUALITY

Audio DAC 192 kHz /24-bit

COMPRESSED VIDEO AND MUSIC PLAY

DivX

JPEG Photo Viewer

MP3

WMA (Windows Media Audio)

PC Video

MPEG-4 AAC

Digital Jukebox

CONVENIENCE

Photo + Music Mix (JPEG Slideshow with Music)

CreatePhotoMovie

Set-up Navigator

Auto Scan Channel Preset

Help Function

OSD Languages (EN/FR/GE/ES/IT/NL/SW/RUS/GR/CZ/PL/NO)

KURO LINK

Connect PC (via USB)

Connect PC HomeNetwork (via Ethernet)

Auto Title Powered by Gracenote® Local

Auto Title Powered by Gracenote® Server

Home Media Gallery 3keys

TUNER

System

Digital Terrestrial Tuner

TERMINALS

Input

AV (Audio/Video)

S-Video

Output

AV (Audio/Video)

S-Video

Component Video

HDMI-Terminal

Digital Audio

SCART RGB Input / SCART RGB Output

CI Card Slot

DV Terminal (IEEE1394)

USB (2 (Type A Front/Type B Front))

Pioneer System Remote Control

Ethernet Terminal

GENERAL

Dimensions (W x H x D)

Weight

Power Consumption (in use/standby)

Power Requirements



Back panel DVR-LX70D



Back panel DVR-LX61D

DVR-LX70D	DVR-LX61D	DVR-LX61*
500 GB	250 GB	250 GB
•	—	—
—	•	•
—	—	—
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•/•	•/•	•/•
•/•	•/•	•/•
•		•
•	•	•
• (HDD only)	• (HDD only)	• (HDD only)
•	•	•
•	•	•
• (HDD only)	• (HDD only)	• (HDD only)
•	•	•
•	•	•
•/•	•/•	•/•
•/• (HDD only)	•/• (HDD only)	•/• (HDD only)
—	—	•
•	•	•
•/•	•/•	•/•
•	•	•
•	•	•
•/•	•/•	•/•
•/•	•/•	•/•
•	•	•
• (DVD only)	• (DVD only)	• (DVD only)
•	•	•
•	•	•
• (PRO)	•	•
•	—	—
—	•	•
•	•	•
•	•	•
•	•	•
• (Wolfson High Quality DAC)	•	•
CD • DVD only	•	•
•	•	•
•	•	•
•	•	•
—	•	•
—	•	•
•	•	•
• (HDD only)	• (HDD only)	• (HDD only)
—	• (HDD only)	• (HDD only)
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
—	•	•
•	•	•
—	•	•
—	•	•
PAL-B/G, D/K, I SECAM-B/G, D/K, L	PAL-B/G, D/K, I SECAM-B/G, D/K, L	PAL-B/G, D/K, I SECAM-B/G, D/K, L
•	•	—
2 (front : 1) 2 (front : 1)	2 (front : 1) 2 (front : 1)	2 (front : 1) 2 (front : 1)
1	1	1
1	1	1
1	1	1
1080p	1080p	1080p
Coaxial	Coaxial	Coaxial
•	•	•
• (Input only)	• (Input only)	• (Input only)
•	•	•
SR Control Input	SR Control Input	SR Control Input
—		•
420 x 77 x 355 mm 6.6 kg 60 W / 0.7 W	420 x 77 x 288 mm 4.7 kg 58 W / 0.69 W	420 x 77 x 288 mm 4.5 kg 48 W / 0.67 W
AC 220–240 V, 50/60 Hz	AC 220–240 V, 50/60 Hz	AC 220–240 V, 50/60 Hz

AV Receivers

	SC-LX81	SC-LX71
POWER OUTPUT		
Stereo (DIN)	190 W + 190 W	180 W + 180 W
Condition	(1 kHz, 1% THD, 6 Ω)	(1 kHz, 1% THD, 6 Ω)
SURROUND POWER OUTPUT (1 kHz, 1 % THD)		
Front	190 W + 190 W (6 Ω)	180 W + 180 W (6 Ω)
Centre	190 W (6 Ω)	180 W (6 Ω)
Surround	190 W + 190 W (6 Ω)	180 W + 180 W (6 Ω)
Simultaneous	700 W (100 W x 7ch) (8 Ω)	630 W (90 W x 7ch) (8 Ω)
RATED POWER OUTPUT-STEREO		
Power	140 W + 140 W	140 W + 140 W
Condition	20 – 20 kHz, 0.09 % THD, 8 Ω	20 – 20 kHz, 0.09 % THD, 8 Ω
TOTAL HARMONIC DISTORTION		
8 Ω, 20 – 20 kHz	0.05 % (130 W + 130 W)	0.05 % (130 W + 130 W)
AMPLIFIER DESIGN		
Channels	7ch	7ch
Power Amplifier Design	Direct Energy HD Amp	Direct Energy HD Amp
MCACC FEATURES		
Auto MCACC / Manual MCACC	Advanced / •	Advanced / •
Microphone Input	•	•
EQ Band	9-Band (Advanced)	9-Band (Advanced)
Standing Wave Control / X-Curve / Symmetric EQ	• / • / •	• / • / •
Step of Distance Adjustment	0.01 m	0.01 m
Memory Type	6	6
PC Display	•	•
DSP DESIGN		
Digital Core Engine	Freescape x 2	Freescape x 2
DAC	192 kHz/24-bit	192 kHz/24-bit
DSP FEATURES (License or Format)		
Dolby Digital & DTS	•	•
Dolby TrueHD	•	•
Dolby Digital EX / Dolby Digital Plus	• / •	• / •
Dolby Pro Logic II / Dolby Pro Logic IIx	• / •	• / •
DTS-HD Master Audio / DTS-HD High Resolution	• / •	• / •
DTS-Express / DTS-ES / DTS Neo:6 / DTS 96/24	• / • / • / •	• / • / • / •
THX	THX Ultra2Plus	THX Select2Plus
Neural-THX	•	•
Air Studios	•	•
WMA9 Pro	•	•
DSP FEATURES (Original or Others)		
Full Band Phase Control	•	•
Phase Control	•	•
Advanced Surround Modes (+ Phones Surround)	13+1 Modes	13+1 Modes
Front Stage Surround Advance	• (Focus, Wide)	• (Focus, Wide)
Dialogue Enhancement / Digital Noise Reduction	• / •	• / •
Sound Retriever	• (Advanced)	• (Advanced)
Midnight Listening Mode / Loudness / Tone Control	• / • / •	• / • / •
Auto Surround	•	•
Stream Direct	•	•
VIDEO FEATURES		
I/P conversion	•	•
Video scaler	•	•
Basic Video adjustment	Brightness / Contrast / Hue / Chroma	Brightness / Contrast / Hue / Chroma
USB		
Terminal Type	A-type (ver.2.0 Full Speed)	A-type (ver.2.0 Full Speed)
for Memory Audio	•	•
HDMI		
KURO LINK ²	•	•
Deep Colour	•	•
1080p Transferring	•	•
PQLS (for CD)	•	•
High Bit-Rate Audio Transferring	Dolby TrueHD, DTS-HD Master Audio	Dolby TrueHD, DTS-HD Master Audio
iPod [®]		
iPod [®] Interface	—	—
iPod [®] Digital Audio	•	•
Support models	5th gen above/nano/classic/touch	5th gen above/nano/classic/touch
TUNER		
FM/AM (Tuner, 3-Speed Accelerated Tuning, station name)	•	•
Radio Random Preset Select	30	30
RDS	•	•
REMOTE CONTROL		
Type	LCD Learning	LCD Learning
TERMINALS, OTHERS		
Analogue Multi-ch Input	• (7.1ch)	• (7.1ch)
Digital Coaxial Input / Output	3 / 0	2 / 0
Digital Optical Input / Output	5 / 2	5 / 2
Audio In / Rec. Out	3 / 1	3 / 1
Audio Mini Jack Input	—	—
AV (composite) In / Rec. Out	7 / 2	7 / 2
HDMI Input / Output	4 / 2	4 / 1
USB Input / Ethernet Input	1 / 1	1 / 1
iPod [®]	—	—
S-Video In / Rec. Out	7 / 2	7 / 2
Monitor Video Out (to TV) Component / S-Video / Composite	1 / 1 / 1	1 / 1 / 1
Component Video In (assignable)	3	3
Phono Input	• (MM)	• (MM)
Preamp Output	• (7.1ch)	• (7.1ch)
System Remote (SR+)	•	•
AM / FM antenna	•	•
GENERAL		
Dimensions (W x H x D)	420 x 200 x 459.5 mm	420 x 200 x 459.5 mm
Weight	18.5 kg	18.5 kg
Power Consumption (in use/standby)	330 W / 0.5 W ³	330 W / 0.5 W ³
Power Requirements	AC 220–230 V, 50/60 Hz	AC 220–230 V, 50/60 Hz

	VSX-LX70*	VSX-LX51
POWER OUTPUT		
180 W + 180 W	180 W + 180 W	150 W + 150 W
(1 kHz, 1% THD, 6 Ω)	(1 kHz, 1% THD, 6 Ω)	(1 kHz, 1% THD, 6 Ω)
180 W + 180 W (6 Ω)	180 W + 180 W (6 Ω)	150 W + 150 W (6 Ω)
180 W (6 Ω)	180 W (6 Ω)	150 W (6 Ω)
180 W + 180 W (6 Ω)	180 W + 180 W (6 Ω)	150 W + 150 W (6 Ω)
—	—	—
140 W + 140 W	140 W + 140 W	110 W + 110 W
20 – 20 kHz, 0.09 % THD, 8 Ω	20 – 20 kHz, 0.09 % THD, 8 Ω	20 – 20 kHz, 0.09 % THD, 8 Ω
—	—	0.06 % (100 W + 100 W)
7ch	7ch	7ch
Discrete (A.D. Energy)	Discrete (A.D. Energy)	Discrete (A.D. Energy)
Advanced / •	Advanced / •	Advanced / •
•	•	•
9-Band (Advanced)	9-Band (Advanced)	9-Band (Advanced)
• / • / •	• / • / •	• / • / •
0.01 m	0.01 m	0.01 m
6	6	6
•	•	•
SHARC [®] 1 + Freescape	SHARC [®] 1 + Freescape	Freescape
192 kHz/24-bit	192 kHz/24-bit	192 kHz/24-bit
•	•	•
•	•	•
• / •	• / •	• / •
• / •	• / •	• / •
• / •	• / •	• / •
• / • / • / •	• / • / • / •	• / • / • / •
THX Select2	THX Select2	THX Select2Plus
+ (FM/Internet Radio)	+ (FM/Internet Radio)	•
•	•	—
•	•	•
•	•	—
•	•	•
13+1 Modes	13+1 Modes	13+1 Modes
• (Focus, Wide)	• (Focus, Wide)	• (Focus, Wide)
• / •	• / •	• / •
•	•	• (Advanced)
• / • / •	• / • / •	• / • / •
•	•	•
•	•	•
•	•	•
Brightness / Contrast / Hue / Chroma	Brightness / Contrast / Hue / Chroma	Brightness / Contrast / Hue / Chroma
A-type (ver.2.0 Full Speed)	A-type (ver.2.0 Full Speed)	A-type (ver.2.0 Full Speed)
•	•	•
•	•	•
•	•	•
•	•	•
—	—	—
Dolby TrueHD, DTS-HD Master Audio	Dolby TrueHD, DTS-HD Master Audio	Dolby TrueHD, DTS-HD Master Audio
• (Analogue AV)	• (Analogue AV)	—
—	—	•
3rd gen above/mini/nano	3rd gen above/mini/nano	5th gen above/nano/classic/touch
•	•	•
30	30	30
•	•	•
LCD Learning	LCD Learning	Preset
• (7.1ch)	• (7.1ch)	• (7.1ch)
2 / 0	2 / 0	2 / 0
5 / 2	5 / 2	4 / 1
3 / 1	3 / 1	2 / 1
—	—	—
7 / 2	7 / 2	5 / 2
4 / 1	4 / 1	3 / 1
1 / 1	1 / 1	1 / —
•	•	—
5 / 2 (assignable)	5 / 2 (assignable)	4 / 2
1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
3	3	3
• (MM)	• (MM)	—
• (7.1ch)	• (7.1ch)	• (7.1ch)
•	•	•
•	•	•
420 x 187 x 459 mm	420 x 187 x 459 mm	420 x 173 x 433 mm
17 kg	17 kg	13.5 kg
460 W / 0.6 W ³	460 W / 0.6 W ³	410 W / 0.6 W
AC 220–230 V, 50/60 Hz	AC 220–230 V, 50/60 Hz	AC 220–230 V, 50/60 Hz



Back panel SC-LX81



Back panel SC-LX71



Back panel VSX-LX70*



Back panel VSX-LX51

All trademarks are the property of their respective companies.

¹ SHARC is a registered trademark of Analog Devices, Inc.

² The term „KURO LINK“ is expressed as „HDMI Control“ on products and operating instructions.

³ In standby: KURO LINK OFF

High-End Audio Amplifiers

	A-A9-J	A-A6-J
POWER OUTPUT		
Continuous Power Output		
20–20,000 Hz, 4 Ω	70 W + 70 W	60 W + 60 W
20–20,000 Hz, 8 Ω	55 W + 55 W	45 W + 45 W
AUDIO FEATURES		
Quick Response Power Supply Circuit	•	•
Low-impedance Driving Capability	•	•
Wide-Range Linear Circuit	•	•
Tone Control / Balance (remote)	• / •	• / •
Sound Retriever (analogue)	•	—
Mute	•	•
Direct Construction / „Direct“ Switch	• / •	• / •
CONSTRUCTION		
Twin Mono Symmetrical Construction	•	•
Honeycomb Chassis	•	•
Rigid Under Base Construction	•	—
HIGH-QUALITY PARTS		
Large Speaker Terminal	•	—
Large Insulator	• (Metal)	•
LAPT Power Device	•	•
Toroidal Transformer	•	—
Motor-Driven Volume Control	•	—
CONVENIENCE		
SR (System Remote) Control Unit	•	•
TERMINALS		
Audio Input		
CD • Tape • AUX • Tuner	•	•
Phono	MC/MM	MM
USB Input (2ch)	• (Rear, for PC)	—
Audio Output		
Tape / PRE-Out	• / •	• / —
Headphone Output	•	•
Speaker Output	1	1
SR Out	•	•
LCD DISPLAY		
LCD Dimmer (3 step)	•	•
AMPLIFIER SECTION		
AB Class Power Stage	•	•
GENERAL		
Dimensions (W x H x D)	420 x 113 x 369 mm	420 x 100 x 359 mm
Weight	11.5 kg	10 kg

High-End Super Audio CD-Players

	PD-D9-J	PD-D6-J
MEDIA		
CD/SACD/CD-R/CD-RW	•	•
MP3 (44.1 kHz) / WMA (44.1 kHz)	•	•
AUDIO FEATURES		
Sampling Rate Converter	•	—
Quick Response Power Supply Circuit	•	•
Twin D/A Converter (192 kHz/24-bit)	Wolfson	Burr-Brown
Twin Transformers	•	—
Low Jitter Crystal Oscillator	•	•
Legato Link Conversion PRO (on/off)	•	•
Hi-bit	•	•
Pure Audio Mode / Direct Construction	• / •	• / •
CONSTRUCTION		
Honeycomb Chassis	•	•
Isolated power supply block	•	—
Rigid Underbase Construction	•	—
Aluminium Side Panel & Top Plate	•	—
Stainless steel CD mechanism	•	—
HIGH-QUALITY PARTS		
Large Insulator	• (TAOC)	•
High quality pin jack	•	—
Schottky barrier diode	•	•
CONVENIENCE		
SR (System Remote) Control Unit	•	•
PLAYBACK		
Random Play • Repeat Play • Programme Play	•	•
TERMINALS		
Audio Output		
Optical / Coaxial	1 / 1	1 / 1
Analogue	1	1
SR In/Out	•	•
LCD DISPLAY		
LCD Dimmer (3 step)	•	•
SPECIFICATION		
CD Audio		
Frequency Response	4 Hz–20 kHz (-1 dB)	4 Hz–20 kHz (-1 dB)
Sampling Frequency	44.1 kHz	44.1 kHz
SACD		
Frequency Response	4 Hz–50 kHz (-3 dB)	4 Hz–50 kHz (-3 dB)
Sampling Frequency	2.8224 MHz (DSD)	2.8224 MHz (DSD)
GENERAL		
Dimensions (W x H x D)	420 x 113 x 340 mm	420 x 100 x 340 mm
Weight	11 kg	4.5 kg

High-End Audio Tuners

	F-F6-J	F-F3-J*
DAB FEATURES		
Auto Tune	•	—
Sort List Search	•	—
Preset Search	•	—
Sort (Alphanumeric, S. Component, PTY)	•	—
DAB Information Display	•	—
DRC (Dynamic Range Control)	•	—
FM/AM FEATURES		
Auto Preset (FM/AM)	•	•
Auto Tuning (FM/AM)	•	•
Manual Tuning (FM/AM)	•	•
St. Preset (FM/AM 100)	200 (DAB:100, FM/AM:100)	100 (FM/AM)
MPX (FM)	•	•
RDS (RDS Search, PTY Search, TP Search, RT (Radio Text), RDS Information Display)	•	•
HIGH-QUALITY AUDIO PARTS		
D/A Converter (192 kHz/24-bit)	•	—
Large Insulator	•	•
Schottky barrier diode	•	•
Aluminium Front Panel	•	•
CONVENIENCE		
SR (System Remote) Control Unit	•	•
St. Preset	200 (DAB:100, FM/AM:100)	100 (FM/AM)
Station Preset Renaming	•	•
TERMINALS		
Audio Output	1	1
SR In/Out	•	•
Digital Output Optical/Coaxial	•	—
RDI	•	—
AM / FM Antenna Jack	•	•
DAB Antenna Jack	•	—
LCD DISPLAY		
LCD Dimmer (3 step)	•	•
GENERAL		
Dimensions (W x H x D)	420 x 78 x 350 mm	420 x 78 x 344 mm
Weight	4.3 kg	4.3 kg

* This product is not available in the UK.

High-End Super Audio CD Receiver

	PDX-Z9
AMPLIFIER	
RMS Power Output (1 kHz, 10 % THD, 4 Ω)	50 W + 50 W
Continuous Power Output (20 Hz – 20 kHz, 1 % THD, 4 Ω)	40 W + 40 W
DSP FEATURES	
Advanced Sound Retriever (Independent Button)	•
Sound Mode (Sound Button)	3 Modes (RELAXING, EXCITING, VIVID)
Intelligent Loudness	•
Bass/Treble	• / •
Digital NR	• (TUNER, LINE, PHONO function only)
Hi-Bit	• (Except SACD PLAY)
TERMINALS	
Audio Input	2 (LINE, PHONO (MM) only)
Audio Output	1 (LINE)
USB-A (host) Terminal	1 (ver.1.1)
Front Audio (Stereo Mini)	1
iPod® Terminal	1
Headphone (Stereo Mini)	1
Ether Terminal	1
TUNER	
FM/AM	•
RDS	•
Auto Preset	•
Station Memory	30
SACD/CD	
No. of Program	24
Playability Media	
SACD	• (only 2ch)
CD / CD-R/CD-RW	•
Playability Format	
MP3 / WMA	•
NEW MEDIA	
Made for iPod® (iPod® USB Charging)	•
USB (Playability Format)	•
MP3 / MPEG-4 AAC / WMA / FLAC	•
WAV	• (only LPCM)
Network (Playability Format)	• (DLNA1.0 Certified)
MP3 / MPEG-4 AAC / WMA / FLAC / LPCM (Stream)	•
WAV	• (only LPCM)
Internet Radio (Playability Format)	MP3 / WMA
Internet Radio DataBase	vTuner
GENERAL	
Dimensions (W x H x D)	386 x 88 x 347 mm
Weight	5 kg

Home Cinema Systems

	LX01BD (Receiver Subwoofer unit) ¹	LX03BD ¹
AMPLIFIER		
Total Power	400 W	500 W
Front Power	50 W / ch	100 W / ch
Condition	RMS (1 kHz, 10% THD, 8 Ω)	RMS (1 kHz, 10% THD, 4 Ω)
Centre Power	100 W (50 W+50 W)	100 W
Condition	RMS (1 kHz, 10% THD, 8 Ω)	RMS (1 kHz, 10% THD, 4 Ω)
Surround Power	50 W / ch	50 W / ch
Condition	RMS (1 kHz, 10% THD, 8 Ω)	RMS (1 kHz, 10% THD, 8 Ω)
Subwoofer Power	100 W (50 W+50 W)	100 W
Condition	RMS (100 Hz, 10% THD, 8 Ω)	RMS (100 Hz, 10% THD, 4 Ω)
SYSTEM FUNCTIONS		
Display	Separate FL Display	FL Display
Dimmer	2steps (LIGHT/DARK)	2steps (LIGHT/DARK)
Sleep Timer	•	•
Remote Control Unit	New LCD Remote	standard
TV Preset	•	•
TUNER		
Station Memory	30	30
RDS	•	•
SOUND & SURROUND		
Bass Mode	—	•
Bass, Treble	•	•
Midnight Listening Mode	•	•
Loudness	•	—
Quiet Mode	•	•
Sound Retriever	•	• (Advanced)
Virtual Surround Back	•	•
Dialogue Enhancement	—	•
Sound Delay	•	•
Front Stage Surround Advance	• (Focus 5.1, Wide 5.1), Extra Power	• (Focus 5.1, Wide 5.1), Extra Power
Advanced MCACC (with microphone)	•	•
Speaker connection check	•	•
Delay adjust	•	—
Channel Level adjust	•	•
Standing Wave	•	—
Reverb	•	•
Frequency adjust (w/EQ)	• (7-Band)	• (3-Band)
Built-in Decoder		
Dolby TrueHD	•	—
Dolby Digital +	•	—
Dolby Digital	•	•
DTS-HD	•	—
DTS	•	•
DTS 96/24	•	—
DTS-ES	•	—
PCM	•	•
Dolby Pro Logic	•	•
Dolby Pro Logic II	•	•
NEO6	•	—
DSD to PCM Converter	•	—
Advanced Surround Modes	13	9
Action, Unplugged, Expanded, TV Surround, Sports, Advanced Game	•	•
Drama	•	—
Sci-Fi	•	—
Mono Film	•	—
Entertainment Show	•	—
Classical	•	—
Rock/Pop	•	—
Virtual Surround	—	•
Extended Stereo	•	•
Phones Surround	—	•
Surround Modes (for Surround Sources)	3	3
Auto / Standard Decode / Stereo (Downmix) / Auto Level Control (ALC)	• / • / • / —	• / — / • / •
Surround Modes (for Stereo Sources)	8	6
Auto	•	•
Dolby Pro Logic, Dolby Pro Logic II Movie	•	•
Dolby Pro Logic II Music	• (Centre Width/Dimension/Panorama)	• (Centre Width/Dimension/Panorama)
Dolby Pro Logic II Game	•	—
NEO:6 Cinema/Music (Centre Image)	•	—
Stereo (Off)	•	•
Auto Level Control (ALC)	—	•
HDMI		
KURO LINK ²	•	•
Deep Colour	•	—
TERMINALS		
HDMI Input/Output	2 / 1	1 / 1
Digital Audio Input	Optical x 2	Optical x 2, Coaxial x 1
Audio Input/Output (RCA)	1 / 1	1 / 1
Audio Input (φ3.5 Stereo)	1 (sep. Display)	—
iPod Input	• (Audio Input/Power Supply, sep. Display)	1 (USB terminal)
MCACC Set-up Mic. Input (φ3.5 Stereo)	1 (sep. Display)	1
SR Input/Output	— / 2	1 / 1
Headphone (Stereo Mini)	—	1
AM / FM antenna	•	•
Speaker Terminal	One Touch Type	One Touch Type
GENERAL		
BD Player unit (Dimensions (W x H x D), Weight)	420 x 80 x 286 mm, 5.5 kg	420 x 80 x 356 mm, 6.5 kg
Receiver unit (Dimensions (W x H x D), Weight)	—	420 x 80 x 364 mm, 4.8 kg
Front Speaker (Dimensions (W x H x D), Weight)	122.5 x 89.5 x 104 mm, 0.5 kg	80 x 196.8 x 82 mm, 1.02 kg
Centre Speaker (Dimensions (W x H x D), Weight)	included in Front Speaker	80 x 80 x 82 mm, 0.48 kg
Surround Speaker (Dimensions (W x H x D), Weight)	122.5 x 89.5 x 104 mm, 0.44 kg	80 x 115.8 x 82 mm, 0.60 kg
Subwoofer (Dimensions (W x H x D), Weight)	245 x 409 x 600 mm, 17.8 kg	211 x 320 x 358 mm, 6.50 kg
Power Requirements	AC 220–240 V, 50/60 Hz	AC 220–240 V, 50/60 Hz
Power Consumption (in use/standby) KURO LINK ON	69 W / 0.39 W	55 W / 0.7 W

¹ LX01BD Blu-ray disc player see page 88 refer to SBDP-LX08.
LX03BD Blu-ray disc player see page 88 refer to BDP-LX08.

² The term „KURO LINK“ is expressed as „HDMI Control“ on products and operating instructions.

Stereo Speakers

SPECIFICATIONS	S-1EX-QL/W	S-2EX-QL/W	S-7EX-QL/W
Enclosure	Front Duct Bass-Reflex Floor-Standing Type	Front Duct Bass-Reflex Bookshelf Type	Front Duct Bass-Reflex Centre Speaker
Speakers			
Woofer	18 cm Cone Woofer (x2)	18 cm Cone Woofer	18 cm Cone Woofer (x2)
Midrange	Concentric Unit: 14 cm Cone Type	Concentric Unit: 14 cm Cone Type	Concentric Unit: 14 cm Cone Type
Tweeter	Concentric Unit: 3.5 cm Beryllium	Concentric Unit: 3.5 cm Beryllium	Concentric Unit: 3.5 cm Beryllium
Impedance	6 Ω	6 Ω	6 Ω
Frequency Range	28 – 100,000 Hz	34 – 100,000 Hz	34 – 100,000 Hz
Sensitivity (2.83 V/1 m)	89.5 dB	86.5 dB	89.5 dB
Operation Power to get 96 dB SPL at 1 m distance (DIN)	4.5 W	8.9 W	4.5 W
Maximum Power	200 W	200 W	200 W
Dimensions (W x H x D) with Base	422 x 1,283 x 609 mm	291 x 565 x 413 mm	820 x 341 x 425 mm
Dimensions (W x H x D) without Base	—	—	820 x 291 x 425 mm
Weight	66 kg	28 kg	39 kg

SPECIFICATIONS	S-3EX-QL/W	S-4EX-QL/W	S-8EX-QL/W
Enclosure	Front Duct Bass-Reflex Floor-Standing Type	Front Duct Bass-Reflex Bookshelf Type	Front Duct Bass-Reflex Centre Speaker
Speakers			
Woofer	16 cm Cone Woofer (x2)	16 cm Aramid Cone	16 cm Aramid Cone (x2)
Midrange	Concentric Unit: 14 cm Magnesium Cone	Concentric Unit: 14 cm Magnesium Cone	Concentric Unit: 14 cm Magnesium Cone
Tweeter	Concentric Unit: 3 cm Ceramic Graphite	Concentric Unit: 3 cm Ceramic Graphite Dome	Concentric Unit: 3 cm Ceramic Graphite Dome
Impedance	6 Ω	6 Ω	6 Ω
Frequency Range	30 – 100,000 Hz	34 – 100,000 Hz	34 – 100,000 Hz
Sensitivity (2.83 V/1 m)	88.5 dB	85.5 dB	88.5 dB
Operation Power to get 96 dB SPL at 1 m distance (DIN)	5.6 W	11.2 W	5.6 W
Maximum Power	160 W	160 W	160 W
Dimensions (W x H x D) with Base	350 x 1,224 x 541 mm	263 x 490 x 375 mm	723 x 263 x 375 mm
Dimensions (W x H x D) without Base	—	—	—
Weight	48 kg	20 kg	29 kg

KURO High Fidelity Speakers

SPECIFICATIONS	S-LX70-LR	S-LX70C
Speakers		
Woofer	13 cm EX Concept Slim Cone Woofer (x2)	13 cm EX Concept Slim Cone Woofer (x2)
Tweeter	2.5 cm Titanium Wide-Range Tweeter with wave guide	2.5 cm Titanium Wide-Range Tweeter with wave guide
Impedance	6 Ω	6 Ω
Frequency Range	40 – 50,000 Hz	40 – 50,000 Hz
Sensitivity (2.83 V/1 m)	82 dB	82 dB
Maximum Power	130 W	130 W
Dimensions (W x H x D)	175 x 722 x 70 mm	722 x 175 x 70 mm
Weight	5.2 kg	5.2 kg

Subwoofer

SPECIFICATIONS	S-W250S(-W)	S-LX70W
Driver	30 cm cone woofer	30 cm bass driver
Enclosure	Rear passive radiator	Closed
Speaker Input Sensitivity/Impedance (100 Hz)	1.6 V + 1.6 V / 15 kΩ	—
Line Input Sensitivity/Impedance (100 Hz)	160 mV / 50 kΩ	160 mV / 33 kΩ
Frequency Range	23 – 1,000 Hz	25 – 4,000 Hz
Power Handling	250 W	300 W
Dimensions (W x H x D)	430 x 480 x 430 mm	362 x 365 x 362 mm
Weight	34.5 kg	18.2 kg
Power Consumption (in use/standby)	56 W	90 W / 1.0 W
Power Requirements	AC 220–230 V, 50/60 Hz	AC 220–230 V, 50/60 Hz



EXPLORE IN DETAIL.

KURO Plasma TVs



KRP-600A 60" (152 cm)

1080p KURO Plasma TV with separate Media Receiver



PDP-LX6090H* 60" (152 cm)

1080p KURO Plasma TV



PDP-LX6090 60" (152 cm)

1080p KURO Plasma TV



KRP-500A 50" (127 cm)

1080p KURO Plasma TV



PDP-LX5090H* 50" (127 cm)

1080p KURO Plasma TV



PDP-LX5090 50" (127 cm)

1080p KURO Plasma TV

KURO LCD TVs



KRL-46V 46" (117 cm)
KURO LCD TV



KRL-37V 37" (94 cm)
KURO LCD TV



KRL-32V 32" (80 cm)
KURO LCD TV

KURO Plasma Monitors



KRP-600M 60" (152 cm)
1080p KURO Plasma Monitor




KRP-500M 50" (127 cm)
1080p KURO Plasma Monitor

HD ready 1080p Front Screen Projector



KRF-9000FD
HD ready 1080p Front Screen Projector

HD AV Converter



PDA-V100HD
High Definition AV Converter

Speakers for KURO Plasma TVs



1
S-LX70C
KURO High Fidelity Centre Speaker



2
S-LX70W
KURO High Fidelity Subwoofer



3
S-LX70LR
KURO High Fidelity Speakers



4
PDP-S62
50" side-mounted Speakers



5
KRP-S03
50" side-mounted Speakers



6
KRP-S04
50" side-mounted Speakers



7
PDP-S64
60" side-mounted Speakers



8
KRP-S01
60" side-mounted Speakers



9
KRP-S02
60" side-mounted Speakers



10
PDP-S63
50" under-mounted Speaker




11
PDP-S65
60" under-mounted Speaker

Combinations

	1	2	3	4	5	6	7	8	9	10	11
KRP-600A	•	•	•	—	—	—	—	•	—	—	—
KRP-500A	•	•	•	—	•	—	—	—	—	—	—
KRP-600M	•	•	•	—	—	—	—	—	•	—	—
KRP-500M	•	•	•	—	—	•	—	—	—	—	—
PDP-LX6090H*	•	•	•	—	—	—	•	—	—	—	•
PDP-LX6090	•	•	•	—	—	—	•	—	—	—	•
PDP-LX5090H*	•	•	•	•	—	—	—	—	—	•	—
PDP-LX5090	•	•	•	•	—	—	—	—	—	•	—

Accessories for KURO Plasma TVs




12
KRP-TS01
Table Top Stand



13
KRP-TS02
Table Top Stand



14
PDK-TS33A
Table Top Stand



15
PDK-TS35A
Table Top Stand




16
PDK-TS36B
Swivel Table Top Stand



17
KRP-SW01
Swivel Table Top Stand



18
PDK-WM02
Wall Mount Bracket




19
PDK-WM03
Wall Mount Bracket



20
PDK-WT02
Angled Wall Mount Bracket



21
KRP-WM01
Wall Mount Bracket



22
KRP-WM02
Wall Mount Bracket



23
KRP-CA01
System Cable (10 m)

Combinations

	12	13	14	15	16	17	18	19	20	21	22	23
KRP-600A	• ¹	—	—	—	—	—	—	—	—	•	—	•
KRP-500A	—	• ¹	—	—	—	•	—	—	—	—	•	•
KRP-600M	• ¹	—	—	—	—	—	—	—	—	•	—	—
KRP-500M	—	• ¹	—	—	—	•	—	—	—	—	•	—
PDP-LX6090H*	• ¹	—	—	• ²	—	—	—	•	—	—	—	—
PDP-LX6090	• ¹	—	—	• ²	—	—	—	•	—	—	—	—
PDP-LX5090H*	—	• ¹	• ²	—	•	—	•	—	•	—	—	—
PDP-LX5090	—	• ¹	• ²	—	•	—	•	—	•	—	—	—

* This product is not available in the UK.

¹ only for side-mounted Speakers

² only for under-mounted Speaker

Blu-ray Disc Players



BDP-LX91

Reference 1080p 24fps Blu-ray Disc Player



BDP-LX71

Premium 1080p 24fps Blu-ray Disc Player



BDP-LX08

Design oriented 1080p 24fps Blu-ray Disc Player



BDP-51FD

1080p 24fps Blu-ray Disc Player

DVD Players



DV-LX50

Premium 1080p DVD-Audio/Video/SACD Player with HDMI



DV-610AV

1080p DVD-Audio/Video/SACD Player with HDMI and USB & CD → USB recording



DV-410V

1080p DVD Player with HDMI and USB



DV-310

DVD Player with USB

HDD/DVD Recorders



DVR-LX70D

Premium 1080p HDD/DVD Recorder.
500 GB hard disk. DVB-T and analogue TV tuner.



DVR-LX61D

Premium 1080p HDD/DVD Recorder.
250 GB hard disk. DVB-T and analogue TV tuner.



DVR-LX61*

Premium 1080p HDD/DVD Recorder.
250 GB hard disk. Analogue TV tuner.



DVR-560HX

1080p HDD/DVD Recorder.
160 GB hard disk. DVB-T and analogue TV tuner.



DVR-560H*

1080p HDD/DVD Recorder.
160 GB hard disk. Analogue TV tuner.

* This product is not available in the UK.

AV Receivers



SC-LX81

Premium 1080p ready multi-channel AV Receiver
7-ch 190 W



SC-LX71

Premium 1080p ready multi-channel AV Receiver
7-ch 180 W



VSX-LX70*

1080p ready multi-channel AV Receiver
7-ch 180 W



VSX-LX51

1080p ready multi-channel AV Receiver
7-ch 150 W



VSX-1018AH

1080p ready multi-channel AV Receiver
7-ch 150 W



VSX-918V

Multi-channel AV Receiver
5-ch 130 W



VSX-818V

Multi-channel AV Receiver
5-ch 130 W

SUSANO reference Amplifier



SC-LX90 SUSANO

Reference Amplifier 7-ch 200 W / 10-ch 140 W

Home Cinema Systems



LX01BD

Premium 1080p 24fps Blu-ray Disc Player
Home Cinema System



LX01

1080p HDD/DVD Recorder Home Cinema System
with 250 GB hard disk and HDMI



LX03BD

1080p 24fps Blu-ray Disc Player
Home Cinema System



LX03

DVD Player Home Cinema System



DCS-575

DVD Player Home Cinema System with HDMI



DCS-580

DVD Player Home Cinema System with HDMI

High-End Audio Components



PDX-Z9

Super Audio CD Receiver with Internet Radio and DLNA certified



CU-R9

Programmable Remote Control for G-Clef series



A-A9-J

70 W Integrated Stereo Amplifier with USB input



A-A6-J

60 W Integrated Stereo Amplifier



PD-D9-J

Super Audio CD Player



PD-D6-J

Super Audio CD Player



F-F6-J

DAB/AM/FM Tuner



F-F3-J*

AM/FM Tuner

Audio Components



A-307R

Amplifier – 80 W x 2 DIN



A-209R

Amplifier – 60 W x 2 DIN



A-109R

Amplifier – 40 W x 2 DIN



PD-F1009

Multi CD Player – 301 CDs



PD-M426

Multi CD Player – 6 CDs



PL-990

Full Automatic Stereo Turntable



CT-W208R

Double Cassette Deck

Stereo and Home Cinema Speakers



The EX Series speakers are available in real beech (high-gloss) or dark teak veneer (satin).



The S-81 Series speakers are available in high-gloss black or real whitewashed ash veneer.



The S-81B is available in high-gloss black, real whitewashed ash veneer or real walnut veneer.



S-1EX-QL/W
Reference high-end
Floor-standing Speaker



S-3EX-QL/W
Reference high-end
Floor-standing Speaker



S-81-K/QL
4-way Floor-standing Speaker



S-2EX-QL/W
Reference high-end Speaker



S-4EX-QL/W
Reference high-end Speaker



S-81B-LR-K/QL/W
2-way Bookshelf Speaker



S-7EX-QL/W
Reference high-end Centre Speaker



S-8EX-QL/W
Reference high-end Centre Speaker



S-81C-K/QL
3-way Centre Speaker

Pure Malt Stereo Speakers



S-A4SPT-PM

Pure Malt Whisky Speakers.



S-A4SPT-VP

Pure Malt Vintage Whisky Speakers.

Grilles included: dark red and dark green.

Subwoofers



S-81W-MK

Active Subwoofer –
300 W RMS

S-LX70W = glossy finish



S-W250S(-W)

Active Subwoofer –
250 W RMS

Available in real beech or
teakwood veneer.



S-W160S-K

Active Subwoofer –
160 W RMS



S-W90S

Active Subwoofer –
85 W RMS

Home Cinema Speakers



S-V520-QL/W

Home Cinema System with
2-way floor-standing and
satellite speakers. Available in
light or dark wood finish.



S-V325-QL/W

Home Cinema System with
2-way floor-standing and
satellite speakers. Available in
light or dark wood finish.



S-V320-QL/W

Home Cinema System with
2-way floor-standing and
full-range satellite speakers.
Available in light or dark wood
finish.



S-V240-QL/W

Home Cinema System with
3-way floor-standing and
full-range satellite speakers.
Available in light or dark wood
finish.




S-V24-QL/W

Compact 5.1 System with full-range satellite speakers, active subwoofer. Available in light or dark wood finish.



S-V50-G/S-V50N-K

Compact 5.1 System with full-range satellite speakers, active subwoofer. Grilles available in silver or black.



S-V710-IV

5.1 System, 3.5-way floor-standing & 2-way satellite speakers, active subwoofer. Grilles included: black, burgundy and white.



S-V610-II

5.1 System, 2-way floor-standing & satellite speakers, active subwoofer.



S-V410(-K)

Slim 5.1 System with 2-way floor-standing speakers, active subwoofer. Available in silver or glossy black cabinet.



S-VLF3-II

Compact 5.1 System with 2-way satellite speakers, active subwoofer. Grilles included: black and white.



S-V70-IV

Compact 5.1 System with 2-way satellite speakers, active subwoofer. Grilles included: black, burgundy and white.



S-V60-II

Compact 5.1 System with 2-way satellite speakers, active subwoofer.

Stereo Speakers



S-H520V-QL/W

2-way Stereo Speaker set.

Available in light or dark wood finish.



S-H320V-QL/W

2-way Stereo Speaker set.


Available in light or dark wood finish.



S-H240V-QL/W


3-way Stereo Speaker set.

Available in light or dark wood finish.



S-H710V

3.5-way Stereo Speaker set with woofers, tweeters and super tweeters. Grilles included: black, burgundy and white.



S-H610V

2-way Stereo Speaker set.



CS-7070

3-way Stereo Speaker set with woofers, midranges and tweeters.



CS-5070


3-way Stereo Speaker set with woofers, midranges and tweeters.



CS-3070

3-way Stereo Speaker set with woofers, midranges and tweeters.

Speaker Stands




CP-LX70

Floor Stand for
KURO side speakers (S-LX70-LR)




CP-LX70TS

Table Top Stand for
KURO side speakers (S-LX70-LR)



CP-ST100

Aluminium design Floor Stand




CP-F150

Aluminium design Floor Stand



CP-F150 mini

Aluminium design Table Top Stand




CP-81B-K/MK

Floor Stand for the S-81B
bookshelf speakers. Available in
high-gloss black or matt black.



CP-2EX/S

Floor Stand for the EX Series
bookshelf speakers (S-2EX)



CP-4EX

Floor Stand for the EX Series
bookshelf speakers (S-4EX)



CP-7EX

Floor Stand for the EX Series
centre speakers (S-7EX, S-8EX)

Your local Pioneer shop

08-A-SD1FALL-UK

GREAT BRITAIN:

PIONEER GB LIMITED

Pioneer House
Hollybush Hill,
Stoke Pages, Slough
Buckinghamshire SL2 4QP
Tel.: +44(0)1753 789 789
Customer Service number:
+44 (0) 330 123 1240
www.pioneer.co.uk

IRELAND:

AUDIO VISION IMPORT LTD

John F. Kennedy Drive,
Naas Road, Dublin 12
Tel.: +353 1 240 5600
info@avi.ie

Printed in Belgium. As a part of Pioneer's commitment to a cleaner environment and the protection of the earth, this catalogue has been printed on chlorine-free paper.

Blu-ray disc is a registered trademark of the Blu-ray Disc Association. DLNA and DLNA CERTIFIED are trademarks and/or servicemarks of Digital Living Network Alliance. DVB is a registered trademark of the DVB Project. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. "i.LINK" and the "i.LINK" logo are trademarks. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. DivX, DivX Certified, DivX Ultra Certified and associated logos are trademarks of DivX, Inc. and are used under license. Windows Media, and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries. AIR Studios and the AIR Studios logo are registered trademarks of AIR Studios, Inc. The THX logo is a trademark of THX Ltd., which may be registered in some jurisdictions. All rights reserved. DTS is a registered trademark & the DTS logo and Symbol are trademarks of DTS, Inc. Dolby and the double-D symbol are trademarks of Dolby Laboratories. Neural Surround is a trademark owned by Neural Audio Corporation. Microsoft, Windows and the Windows logo are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Music recognition technology and related data are provided by Gracenote®. Gracenote is the industry standard in music recognition technology and related content delivery. For more information visit www.gracenote.com. The term "KURO LINK" is expressed as "HDMI Control" on products and operating instructions. WDW HD, TruSurround XT, SRS and (●) symbol are trademarks of SRS Labs, Inc. x.v.Colour is a trademark of Sony Corporation.

Features and specifications of the products described or illustrated in this catalogue are correct at the time of printing but could change as production changes might occur. This catalogue may contain typographical errors and the colours of the depicted products may deviate slightly from reality. Pioneer will not be held liable for any such errors and/or depicted colour deviations. Consult your Pioneer dealer to ensure that actual features and specifications match your requirements. This catalogue may contain references to products that may or will not be available in your country.

* (p13, p17, p19) Actual coverage of "high definition" digital TV broadcast services is however typically depending on additional local/ service linked parameters, which – as of today – are in many areas still not finalised. Because of this Pioneer only links the "high definition" digital TV capability to the areas / services explicitly listed on relevant product pages on Pioneer's website or available via the local Pioneer Service Contact.

published by:

PIONEER EUROPE N.V.

Haven 1087, Keetberglaan 1,
B-9120 Melsele
Tel.: +32 (0)3 570 05 11
Copyright 2008 by
Pioneer Europe N.V.
All rights reserved.



Pioneer

WWW.PIONEER.CO.UK

HOME ENTERTAINMENT GUIDE
2008/2009